

**ARCHITECTURAL IDENTIFICATION SURVEY  
I-81 CORRIDOR IMPROVEMENT STUDY  
TIER 2 I-77/I-81 OVERLAP  
WYTHE COUNTY AND  
TOWN OF WYTHEVILLE, VIRGINIA  
VDOT PROJECT NO. 0077-098-104, P100, UPC: 51441  
VDHR FILE # 2001-0626**

**CBA 7 AND EXPANDED INTERCHANGES**

**PREPARED FOR:  
THE VIRGINIA DEPARTMENT OF TRANSPORTATION  
1401 E. BROAD STREET  
RICHMOND, VIRGINIA 23219  
and  
VANASSE HANGEN BRUSTLIN, INC.  
115 SOUTH 15<sup>TH</sup> STREET  
SUITE 200  
RICHMOND, VIRGINIA 23219  
(804) 343-7100**

**PREPARED BY:  
JENNIFER B. STEWART  
BILL HALL  
and  
LORETTA LAUTZENHEISER, RPA  
*PRINCIPAL INVESTIGATOR***

**COASTAL CAROLINA RESEARCH, INC.  
P.O. BOX 1198  
1601 ST. ANDREW STREET  
TARBORO, NORTH CAROLINA 27886**

**JUNE 2009**

## ABSTRACT

The Virginia Department of Transportation (VDOT) has commissioned a historic architecture survey as part of the I-81 Corridor Improvement Study of Candidate Build Alternative 7 (CBA 7) and Expanded Interchanges (Tier 2, I-77/I-81 Overlap) in Wythe County and the Town of Wytheville, Virginia.

Coastal Carolina Research, Inc. (CCR) conducted the survey for Vanasse Hangen Brustlin, Inc. (VHB), the firm retained by VDOT to prepare the transportation study for this project. The report covers the survey of proposed CBA 7 and three expanded interchanges. Two of the proposed expanded interchanges are for CBA 7 and are located at both termini of CBA 7. A third proposed expanded interchange is for the existing alignment. The APE for architecture is defined as a 500-foot-wide corridor on either side of the center line of the proposed CBA 7 plus resources adjacent to or visible from the corridor (1,000-foot-wide corridors). In addition, the APE includes resources within the defined boundaries of the proposed expanded interchanges plus resources adjacent to or visible from the defined boundaries. This project was initiated in 2001 (Lautzenheiser et al. 2001) by CCR, and though some resources were recorded, the survey was suspended and the Virginia Department of Historic Resources (VDHR) Data Sharing System (DSS) forms were not completed. During the current survey the resources that were recorded in 2001 were revisited, photographed if necessary, and DSS forms were prepared.

The study was undertaken in compliance with Section 106 of the National Historic Preservation Act of 1966; the Advisory Council on Historic Preservation's regulations for compliance with Section 106, codified as 36 CFR Part 800; and Section 4(f) of the Department of Transportation Act. The scope of the investigations was consistent with the Secretary of the Interior's *Standards and Guidelines for Archaeology and Historic Preservation*, and the report was prepared in accordance with the Virginia Department of Historic Resource's (VDHR) "Guidelines for Preparing Identification and Evaluation Reports for Submission Pursuant to Sections 106 and 110, National Historic Preservation Act, Environmental Impact Reports of State Agencies, Virginia Appropriation Act, 1992 Session Amendments" (VDHR 2001).

The current architectural survey resulted in the recording of 79 newly identified resources dating to 1960 or earlier and the revisiting of 78 previously recorded resources. One newly recorded resource is recommended as potentially eligible for the National Register of Historic Places (NRHP). The Sanders Farm (VDHR #098-5168) is recommended as potentially eligible for the NRHP under Criterion C for architecture. The other 78 newly recorded resources in the APE (VDHR #s 098-5150 through 098-5154; 098-5158 through 098-5167; and 139-5077 through 139-5139) are recommended as not eligible for the NRHP. Seven of the previously recorded resources have been listed on the NRHP or have been determined eligible for the NRHP by VDHR. Fort Chiswell Manor (VDHR #098-0005), McGavock Cemetery (VDHR #098-0022), Fort Chiswell Site (VDHR #098-0026), Grahams Forge (VDHR #098-0052), Oak Level (VDHR #139-0015), and the Wytheville Historic District (VDHR #139-0022) have already been listed on the NRHP. Ingleside (VDHR # 139-0022) has been determined

eligible for the NRHP. Three resources, the Keesling Log House (VDHR #098-5031), Locust Hill (VDHR #098-5129), and the Wytheville Knitting Mill (VDHR #139-5037) that were recorded during the survey of the existing alignment of the Tier 2 I-81/I-77 (Lautzenheiser et al. 2008) are considered potentially eligible for the NRHP. Five of the previously recorded resources have been demolished; Reed Creek Bridge (VDHR #098-0026), Reed Creek Bridge #1002 (VDHR #098-0191), Wytheville Catholic Church (VDHR #139-0013), Lacy House (VDHR #139-0017), and the Springhouse of the Johnson House (VDHR #139-5031). One previously recorded resource (VDHR #098-5060) is recommended as not eligible for the NRHP. The remaining previously recorded resources have been determined not eligible for the NRHP by VDHR.

# TABLE OF CONTENTS

ABSTRACT	i
LIST OF FIGURES	iv
LIST OF TABLES	v
MANAGEMENT SUMMARY	1
Introduction	1
Background Research	4
Field Methods	4
Results of the Survey	5
Candidate Build Alternative 7	5
Candidate Build Alternative 7 Previously Recorded Resources	5
Candidate Build Alternative 7 Newly Recorded Resources	12
West Terminus Interchange	22
West Terminus Interchange Previously Recorded Resources	22
West Terminus Interchange Newly Recorded Resources	27
East Terminus Interchange	55
East Terminus Interchange Previously Recorded Resources	55
East Terminus Interchange Newly Recorded Resources	55
Existing I-77/I-81 Junction	59
Existing I-77/I-81 Junction Previously Recorded Resources	59
Existing I-77/I-81 Junction Newly Recorded Resources	59
Summary	63
REFERENCES CITED	71

## LIST OF FIGURES

Figure 1:	General Location of the Project Area.	2
Figure 2:	CBA 7 and Proposed Expanded Interchanges Locations, Shown on the USGS 7.5' Max Meadows, Virginia (1965, Photorevised 1985) and Wytheville, Virginia (1968, Photorevised 1991), Topographic Quadrangles.	3
Figure 3a:	Architectural Resources in APE for CBA 7, Shown on the USGS 7.5' Wytheville, Virginia, Topographic Quadrangle (1968, Photorevised 1991).	7
Figure 3b:	Architectural Resources in APE for CBA 7, Shown on the USGS 7.5' Wytheville, Virginia, Topographic Quadrangle (1968, Photorevised 1991).	8
Figure 3c:	Architectural Resources in APE for CBA 7, Shown on the USGS 7.5' Max Meadows, Virginia (1965, Photorevised 1985) and Wytheville, Virginia (1968, Photorevised 1991), Topographic Quadrangles.	9
Figure 3d:	Architectural Resources in APE for CBA 7, Shown on the USGS 7.5' Max Meadows, Virginia, Topographic Quadrangle (1965, Photorevised 1985).	10
Figure 3e:	Architectural Resources in APE for CBA 7, Shown on the USGS 7.5' Max Meadows, Virginia, Topographic Quadrangle (1965, Photorevised 1985).	11
Figure 4:	George Keesling House (VDHR #098-5153).	13
Figure 5:	Carter Park Bridge # 6290 (VDHR #098-5154-0002).	13
Figure 6:	Keesling Cemetery (VDHR #098-5158).	17
Figure 7:	Armentrout House (VDHR #098-5160).	17
Figure 8a:	Architectural Resources in APE for West Terminus Interchange, Shown on the USGS 7.5' Wytheville, Virginia, Topographic Quadrangle (1968, Photorevised 1991).	25
Figure 8b:	Architectural Resources in APE for West Terminus Interchange, Shown on the USGS 7.5' Wytheville, Virginia, Topographic Quadrangle (1968, Photorevised 1991).	26
Figure 9:	Reardon House (VDHR #139-5082) Located at 235 Walnut Road.	32
Figure 10:	Dwelling (VDHR #139-5084) Located at 300 Locust Lane.	32
Figure 11:	Architectural Resources in APE for East Terminus Interchange, Shown on the USGS 7.5' Max Meadows, Virginia, Topographic Quadrangle (1965, Photorevised 1985).	57
Figure 12:	Architectural Resources in APE for Existing I-77/I-81 Junction, Shown on the USGS 7.5' Max Meadows, Virginia, Topographic Quadrangle (1965, Photorevised 1985).	60
Figure 13:	Sanders Farm House (VDHR #098-5168).	62
Figure 14:	Secondary Dwelling and Smoke House on Sanders Farm (VDHR #098-5168).	62

## LIST OF TABLES

Table 1:	Summary of Previously Recorded Architectural Resources in APE for CBA 7.	5
Table 2:	Summary of Newly Recorded Architectural Resources in APE for CBA 7.	12
Table 3:	Summary of Previously Recorded Architectural Resources in APE for West Terminus Interchange.	23
Table 4:	Summary of Newly Recorded Architectural Resources in APE for West Terminus Interchange.	27
Table 5:	Summary of Previously Recorded Architectural Resources in APE for East Terminus Interchange.	55
Table 6:	Summary of Newly Recorded Architectural Resources in APE for East Terminus Interchange.	56
Table 7:	Summary of Previously Recorded Architectural Resources in APE for Existing I-77/I-81 Junction.	59
Table 8:	Summary of Newly Recorded Architectural Resources in APE for Existing I-77/I-81 Junction.	61
Table 9:	Summary of Architectural Resources in APE for CBA 7 and Expanded Interchanges.	64

**ARCHITECTURAL IDENTIFICATION SURVEY  
I-81 CORRIDOR IMPROVEMENT STUDY  
TIER 2 I-77/I-81 OVERLAP  
CBA 7 AND EXPANDED INTERCHANGES  
WYTHE COUNTY AND  
TOWN OF WYTHEVILLE, VIRGINIA  
VDOT PROJECT NO. 0077-098-104, P100, UPC: 51441  
VDHR FILE # 2001-0626**

**MANAGEMENT SUMMARY**

**Introduction**

The Virginia Department of Transportation (VDOT) has commissioned a historic architecture survey as part of the I-81 Corridor Improvement Study of Candidate Build Alternative 7 (CBA 7) and Proposed Interchanges (Tier 2, I-77/I-81 Overlap) in Wythe County and the Town of Wytheville, Virginia (Figure 1).

Coastal Carolina Research, Inc. (CCR) conducted the survey for Vanasse Hangen Brustlin, Inc. (VHB), the firm retained by VDOT to prepare the transportation study for this project. The report covers the survey of proposed CBA 7 and three expanded interchanges. Two of the proposed expanded interchanges are for CBA 7 and are located at both termini of CBA 7. A third proposed expanded interchange is for the existing alignment. The APE for architecture is defined as a 500-foot-wide corridor on either side of the center line of the proposed CBA 7 (Figure 2) plus resources adjacent to or visible from the corridor (1,000-foot-wide corridors). In addition, the APE includes resources within the defined boundaries of the proposed expanded interchanges plus resources adjacent to or visible from the defined boundaries. This project was initiated in 2001 (Lautzenheiser et al. 2001) by CCR, and though some resources were recorded, the survey was suspended, and the Virginia Department of Historic Resources (VDHR) Data Sharing System (DSS) forms were not completed. During the current survey the resources that were recorded in 2001 were revisited, photographed if necessary, and DSS forms were prepared.

The purpose of the survey was to identify and record architectural resources dating to 1960 or earlier and assess their potential for National Register of Historic Places (NRHP) eligibility. The survey was undertaken in compliance with Section 106 of the National Historic Preservation Act of 1966; the Advisory Council on Historic Preservation's regulations for compliance with Section 106, codified as 36 CFR Part 800; and Section 4(f) of the Department of Transportation Act. The scope of the investigations was consistent with the Secretary of the Interior's *Standards and Guidelines for Archaeology and Historic Preservation*, and the report was prepared in accordance with the "Guidelines for Preparing Identification and Evaluation Reports for Submission Pursuant to Sections 106 and 110, National Historic Preservation Act, Environmental Impact Reports of State Agencies, Virginia Appropriation Act, 1992 Session Amendments" (VDHR 2001).




Figure 1: General Location of the Project Area.




Figure 2: CBA 7 and Proposed Expanded Interchanges Locations, Shown on the USGS 7.5' Max Meadows, Virginia (1965, Photorevised 1985) and Wytheville, Virginia (1968, Photorevised 1991), Topographic Quadrangles.

The current survey was conducted in May 2009, with Loretta Lautzenheiser as the principal investigator and project manager. Jennifer Stewart served as the architectural historian, with assistance from Blake Wiggs and Bill Hall. Blake Wiggs prepared the Data Sharing System (DSS) forms with help from Bill Hall. Bill Hall conducted the background research, prepared the sketch maps, photographs, and DSS packets. Lindsay Flood prepared the graphics for the report.

## **Background Research**

To identify the previously recorded architectural resources present within the APE, CCR researchers examined the architectural site files at the Virginia Department of Historic Resources (VDHR). Researchers conducted further study at VDHR, Richmond; the Library of Virginia, Richmond; and the library of CCR in Tarboro, North Carolina. When possible, they located owners and residents of the resources within the study area and interviewed them to collect information concerning the construction dates and history of the resources.

## **Field Methods**

Fieldwork for the architectural investigation was conducted by vehicle and on foot. The purpose of the study was twofold: 1) to provide specific information concerning the location, nature, and significance of buildings in the APE that will be 50 years old or older by January 1, 2010; and 2) to identify buildings that appear to be potentially eligible for the NRHP. Each resource that was determined to be 50 years old or older by January 1, 2010 was recorded and photographed.

Resources were assessed against the criteria of eligibility for the NRHP in order to determine their potential for eligibility. These criteria require that the quality of significance in American history, architecture, culture, and archaeology should be present in buildings, structures, objects, sites, or districts that possess integrity of location, design, setting, materials, workmanship, feeling, and association, and that the buildings, structures, objects, sites, or districts:

- A. are associated with events that have made a significant contribution to the broad patterns of our history;
- B. are associated with the lives of persons significant in our past;
- C. embody the distinctive characteristics of a type, period, or method of construction or that represent the work of a master, or that possess high artistic values, or that represent a significant and distinguishable entity whose components may lack individual distinction; or
- D. have yielded, or may be likely to yield, information important in prehistory or history (Federal Register 1981).

## Results of the Survey

The purpose of the current architectural survey was to determine if cultural resources that are on, or potentially eligible for, the NRHP are located within the project’s architectural APE. The APE includes 500 feet on each side of the proposed centerline of CBA 7 and the expanded interchanges. The interchanges that are part of this project are referred to as the West Terminus Interchange, the East Terminus Interchange, and the Existing I-77/I-81 Junction. The architectural APE includes the standing structures in the APE plus those within view of the proposed improvements. Resources found in the APE that are older than 50 years were documented.

Some resources are located within the APE of CBA 7 as well as an expanded interchange. These resources are listed in the appropriate CBA 7 table and appropriate expanded interchange table. A description of resources in two APEs will only be given in the CBA 7 section of the report.

### Candidate Build Alternative 7

***Candidate Build Alternative 7 Previously Recorded Resources.*** There are 22 previously recorded architectural resources within the APE for CBA 7, as shown in Table 1 and Figures 3a through 3e. Two of the resources including Reed Creek Bridge (VDHR #098-0056) and Reed Creek Bridge #1002 (VDHR #098-0191) have been demolished since last visited. The Keesling Log House (VDHR #098-5051) and Locust Hill (VDHR 098-5129) were determined as potentially eligible for the NRHP by VDHR following CCR’s survey of the existing alignment of the Tier 2 I-81/I-77 overlap in 2008 (Lautzenheiser et al. 2008).

Fort Chiswell (VDHR #098-0026), located in the APE for CBA 7, is already listed on the NRHP. The other previously recorded resources in the APE for CBA 7 have already been determined not eligible for the NRPH by VDHR.

Table 1: Summary of Previously Recorded Architectural Resources in APE for CBA 7.

<b>Inventory Number</b>	<b>Name, Address</b>	<b>Date</b>	<b>NRHP Eligibility</b>
098-0026	Fort Chiswell Site	1752	NRHP Listed
098-0056	Reed Creek Bridge	1930	Demolished
098-0191	Reed Creek Bridge #1002	1931	Demolished
098-5046	Service Garage, North Side of East Lee Highway	c. 1920	Not Eligible
098-5049	Grandview Farm, 255A Steer Drive	c. 1900	Not Eligible
098-5050	Tenant House, Grandview Farm, 255 Steer Drive	c. 1920	Not Eligible
098-5051	Keesling Log House, South Side of East Lee Highway	c. 1790	Potentially Eligible

098-5064	Single Dwelling, 2025 Chapman Road	c. 1935	Not Eligible
098-5129	Locust Hill, 4373 East Lee Highway	c. 1784	Potentially Eligible
139-5040	Dwelling, 645 Cassell Road	c. 1945	Not Eligible
139-5041	Dwelling, East Side of Cassell Road	c. 1940	Not Eligible
139-5042	Dwelling, 605 Cassell Road	c. 1940	Not Eligible
139-5043	Dwelling, 570 Cassell Road	c. 1940	Not Eligible
139-5044	Dwelling, 525 Cassell Road	c. 1940	Not Eligible
139-5045	Testerman House, 505 Cassell Road	c. 1900	Not Eligible
139-5047	Dwelling, 470 Cassell Road	c. 1940	Not Eligible
139-5048	Dwelling, 455 Cassell Road	c. 1950	Not Eligible
139-5049	Dwelling, 450 Cassell Road	c. 1940	Not Eligible
139-5050	Lakie Kitts House, 445 Cassell Road	c. 1945	Not Eligible
139-5051	Dwelling, 440 Cassell Road	c. 1950	Not Eligible
139-5052	Harmon House, 425 Cassell Road	c. 1950	Not Eligible
139-5063	John Allen Toll House, 1980 Chapman Road	c. 1850	Not Eligible




Figure 3a: Architectural Resources in APE for CBA 7, Shown on the USGS 7.5' Wytheville, Virginia, Topographic Quadrangle (1968, Photorevised 1991).




Figure 3b: Architectural Resources in APE for CBA 7, Shown on the USGS 7.5' Wytheville, Virginia, Topographic Quadrangle (1968, Photorevised 1991).






Figure 3d: Architectural Resources in APE for CBA 7, Shown on the USGS 7.5' Max Meadows, Virginia, Topographic Quadrangle (1965, Photorevised 1985).




Figure 3e: Architectural Resources in APE for CBA 7, Shown on the USGS 7.5' Max Meadows, Virginia, Topographic Quadrangle (1965, Photorevised 1985).

**Candidate Build Alternative 7 Newly Recorded Resources.** The current survey resulted in the identification and recording of 14 architectural resources in the APE for CBA 7 as shown in Table 2 and Figures 3a through 3e. All of the 14 newly recorded resources in the APE for CBA 7 represent common architectural types, with alterations or additions to their original designs frequently compromising their integrity. Therefore the resources (VDHR # 098-5153 and 098-5154; 098-5158 through 098-5164; and 139-5077 through 139-5081) are recommended as not eligible for the NRHP.

Table 2: Summary of Newly Recorded Architectural Resources in APE for CBA 7.

<b>Inventory Number</b>	<b>Name, Address</b>	<b>Date</b>	<b>Recommended NRHP Eligibility</b>
098-5153	George Keesling House, 149 E. Lee Highway	c. 1860	Not Eligible
098-5154	Carter Wayside, 155 Carter's Park Lane	c. 1945	Not Eligible
098-5154-0001	Carter Park Building, Carter's Park Lane	c. 1945	Not Eligible
098-5154-0002	Carter Park Bridge #6290, Carter's Park Lane	c. 1945	Not Eligible
098-5154-0003	Carter Park Bridge #6291, Carter's Park Lane	c. 1945	Not Eligible
098-5154-0004	Carter Park Bridge #6292, Carter's Park Lane	c. 1945	Not Eligible
098-5158	Keesling Cemetery, East Side of Keesling School Road	1818	Not Eligible
098-5159	Davis House, 2866 E. Lee Highway	c. 1915	Not Eligible
098-5160	Armentrout House, 733 Max Meadows Road (Rt. 121)	c. 1910	Not Eligible
098-5161	Jackson House, 785 Max Meadows Road (Rt. 121)	c. 1945	Not Eligible
098-5162	Dwelling, 855 Max Meadow Road (Rt. 121)	c. 1945	Not Eligible
098-5163	Outbuildings, 261 Kents Lane (Rt. 704)	c. 1920	Not Eligible
098-5164	Railroad Bridge, Near Kents Lane (Rt. 704)	c. 1945	Not Eligible
139-5077	Dwelling, 715 Lovers Lane (Rt. 647)	c. 1950	Not Eligible
139-5078	Dwelling, 555 Lovers Lane (Rt. 647)	c. 1925	Not Eligible
139-5079	Carty House, 495 Lovers Lane (Rt. 647)	c. 1950	Not Eligible
139-5080	Carty House, 425 Lovers Lane (Rt. 647)	c. 1950	Not Eligible
139-5081	Dwelling, 150 Lovers Lane (Rt. 647)	c. 1930	Not Eligible

**VDHR INVENTORY NUMBER:** 098-5153

**RESOURCE NAME AND ADDRESS:** George Keesling House, 149 E. Lee Highway

**DATE(S):** c. 1860

**DESCRIPTION:** George Keesling constructed this house c. 1860. The house (Figure 4) is currently owned by Mary Keesling Hancock, the great-granddaughter of George Keesling. The land to the east of the house (Carter Wayside) was originally owned by the Keesling family and operated as a campground in the mid-twentieth-century by Charlie Keesling. This two-story timber frame I-house features exterior walls that are covered in



Figure 4: George Keesling House (VDHR #098-5153).



Figure 5: Carter Park Bridge # 6290 (VDHR #098-5154-0002).

vinyl siding, and a side-gabled roof with gable returns is clad in asphalt shingles. Ms. Hancock stated during the course of an interview that the house was not originally of log construction (Mary Keesling Hancock, personal communication 2009). A brick chimney is located on the east exterior end, and a concrete flue is located on the north wall of the house. The house rests on a foundation of solid stone, but the additions are built on concrete block. The house displays a one-story, two-bay front entry that consists of a shed roof supported by square wooden columns. The roof of the porch has been extended to the west to cover a one-story gabled addition on the west elevation. An addition has been appended to the rear of the house and a one-story enclosed porch with a hipped roof has been added to the west elevation of the gabled addition. The windows are one-over-one vinyl and two-over-two wooden double-hung sash windows with decorative shutters. A brick patio has been built into the hillside to the west of the house. The patio was built c. 1990.

There are thirteen outbuildings associated with this house. Southeast of the house is a c. 1860 spring house. The spring house has been covered in vinyl siding and features a pyramidal roof clad in corrugated metal. The upper half of the exterior walls features diagonal openings for ventilation. A shed addition is located on the south elevation. Northeast of the house is a stable and shed (A). The c. 1900 stable is a one-story wooden frame structure that is clad in board and batten siding and has a hipped roof covered in corrugated metal. The windows feature perpendicular slats of wood that cover the openings. Shed (A) is an early twentieth century structure that displays exterior walls that are covered in vinyl siding, and a gabled roof clad in corrugated metal. A shed addition has been appended to the south elevation of the shed. North of the house is shed (B); a one-story structure covered in vinyl siding, and has a gabled roof clad in corrugated metal. West of the house is a smoke house and storage building that was used as a small store in the mid-twentieth-century. The smokehouse is a one-story building that displays exterior walls that are covered in vertical boards, and a gabled roof clad in corrugated metal. A shed addition has been appended to the west elevation. The store is a one-story wooden frame building with exterior walls that are covered in weatherboard, and the shed roof is clad in corrugated metal. Further to the west, in a field, is an animal pen that is clad in vertical boards and features a shed roof covered in corrugated metal. Northwest of the house are two chicken houses, a corn crib, animal shelter, and two barns. Chicken houses A and B are wooden frame structures that are in ruins and partially covered in vegetation. Each chicken house is clad in vertical boards and feature a shed roof covered in corrugated metal. The corn crib is a one-story structure that is clad in vertical boards and displays a gabled roof covered in corrugated metal. The animal shelter is one-story in height, is clad in vertical boards, and features a shed roof covered in corrugated metal. Barn (A) is a two-story structure that is clad in vertical boards, and has a gabled roof covered in standing-seam metal. A one-story shed addition has been appended to the northwest elevation of the barn. Barn (B) is a two-story structure that was built c. 1920 and displays exterior walls that are covered in vertical boards, and a gabled roof clad in standing-seam metal.

***RECOMMENDATIONS FOR NRHP ELIGIBILITY:*** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. The

house has been altered with the addition of vinyl siding, new windows, decorative shutters, the construction of several additions, and the addition of new roofing material. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 098-5154

**RESOURCE NAME AND ADDRESS:** Carter Wayside, 155 Carter's Park Lane

**DATE(S):** c. 1945

**DESCRIPTION:** Carter Wayside was created in the mid-twentieth century. The property is also known by the name Carter's Memorial Park. The property is part an easement that preserves the property for use as a public park, as reported by Mary L. Keesling Hancock (personal communication 2009), the current neighbor of the property and relative of the former owner. The park property formerly belonged to the Keesling family and was utilized as a camp ground for travelers when Ms. Hancock was a child during the 1920s. Some of the travelers were gypsies who utilized wagons on the then unpaved Valley Road. The 33.5 acre park is wooded and contains a section of Reed Creek. Reed Creek takes on the shape of a horse shoe, and the property was sometimes referred to as Horseshoe Bend in the past, according to Mary Hancock. There are several modern picnic shelters, picnic tables, a restroom, a ball field, and a park building (VDHR #098-5154-0001). A parking lot is located on the south side of the park along East Lee Highway. The paved road (Carter's Park Lane) runs through the park and follows Reed Creek. Three concrete bridges (VDHR #098-5154-0002 through 098-5154-0004) that were constructed c. 1945 carry the road over three tributaries that are directed through culverts to feed the creek. A modern wooden foot bridge carries walkers over the creek. The park is currently maintained by the Virginia Department of Transportation.

**098-5154-0001.** The Carter Wayside Building is located on Carter's Park Lane. This one-story masonry building is located in Carter Wayside. The building is constructed of concrete block and has a gabled roof covered in asphalt roll. The porch is three bays wide and has a shed roof that is supported by square wooden posts. A brick chimney is located in the central interior portion of the roof. The windows are four-light aluminum casement windows. North of the building is a c. 1945 shed that is concrete block on the lower level and covered in vertical boards on the exterior of the upper level. The shed has a gabled roof covered in asphalt roll and features exposed rafter tails.

**098-5154-0002.** The Carter Wayside Bridge #6290, carries Carter's Park Lane over a concrete culvert that directs a tributary down to Reed Creek. Reed Creek flows in a horseshoe shape through Carter Wayside. There are three bridges in the park that are identical to one another, bridges #6290, #6291, and #6292 (VDHR # 098-5154-0002 through 098-5154-0004). The bridge features a single traffic lane that is currently paved with asphalt. The bridge railing is solid concrete with minimal design elements (Figure 5).

**098-5154-0003.** The Carter Wayside Bridge #6291, carries Carter's Park Lane over a concrete culvert that directs a tributary down to Reed Creek. Reed Creek flows in a horseshoe shape through Carter Wayside. There are three bridges in the park that are identical to one another, bridges #6290, #6291, and #6292 (VDHR # 098-5154-0002 through 098-5154-0004). The bridge features a single traffic lane that is currently paved with asphalt. The bridge railing is solid concrete with minimal design elements.

**098-5154-0004.** The Carter Wayside Bridge #6292, carries Carter's Park Lane over a concrete culvert that directs a tributary down to Reed Creek. Reed Creek flows in a horseshoe shape through Carter Wayside. There are three bridges in the park that are identical to one another, bridges #6290, #6291, and #6292 (VDHR # 098-5154-0002 through 098-5154-0004). The bridge features a single traffic lane that is currently paved with asphalt. The bridge railing is solid concrete with minimal design elements.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** Carter Wayside contains a historic park building and three historic bridges. The majority of structures are modern. The Carter Wayside Building (VDHR #098-5154-0001) exhibits a design common for the period. The three bridges in Carter Wayside (VDHR # 098-5154-0002, 098-5154-0003, and 098-5154-0004) are a type of mid-twentieth-century bridges that display the same style and form. Numerous examples of this bridge type survive. Carter Wayside has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, or C.

**VDHR INVENTORY NUMBER:** 098-5158

**RESOURCE NAME AND ADDRESS:** Keesling Cemetery, East Side of Keesling School Road

**DATE(S):** 1818

**DESCRIPTION:** This cemetery (Figure 6) located to the west of Keesling School Road was first used in 1818. The earliest marked grave is that of Conrad Kisling, Pvt., Baldy's Co., 6<sup>th</sup> PA Militia, Revolutionary War, who died May 1818. Conrad Kisling built the Keesling log house (VDHR #098-5051) after serving in the Revolutionary War. Records show that Conrad Keesling was a taxpayer in Wythe County, Virginia in 1793 and owned two animals (Wayland 1999). The 17 marked graves are oriented east to west in rows. Additional families buried in the cemetery are Allen, Cash, Fink, Hankley, Lockes, Page, Thacker, and Williams. Many of the stones feature simple carvings.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This cemetery does not lend itself to comparative archaeological or physical anthropological studies. The cemetery is recommended as not eligible for the NRHP under Criteria A, B, C, or D. It is also recommended as not eligible under Criteria Consideration C for association with important persons or Criteria Consideration D, as it contains no graves of important persons, is not of great age, contains no special design elements, and is not associated with significant events. However, relevant local and state statutes regarding the protection and relocation of cemeteries must be followed.

**VDHR INVENTORY NUMBER:** 098-5159

**RESOURCE NAME AND ADDRESS:** Davis House, 2866 E. Lee Highway

**DATE(S):** c. 1915

**DESCRIPTION:** Built c. 1915, this one-story wooden frame house is currently in ruins. The house is located to the north of East Lee Highway beyond a locked fence along a dirt drive. The property is owned by the J. G. Davis Estate and is currently littered with hundreds of old cars. The house features exterior walls that are covered in weatherboard, and a hipped roof clad in corrugated metal. The east exterior wall of the house is clad in




Figure 6: Keesling Cemetery (VDHR #098-5158).



Figure 7: Armentrout House (VDHR #098-5160).

board and batten siding. One brick chimney is located in the central interior portion of the roof. The porch is missing, and the windows that are still intact are six-over-six wooden double-hung sash windows. The front façade of the house displays two front doors. This house is located on 258.09 acres of land and is located in the Fort Chiswell area. North of the house is a c. 1970 barn constructed of concrete block. The gabled roof of the barn is covered in standing-seam metal and one bay is located on the south elevation. A lean-to has been appended to the west elevation of the barn. Northeast of the barn is a one-story building that appears to have been a commercial structure at one time. The exterior walls of the building are clad in stucco, and the hipped roof is clad in standing-seam metal and displays wide eaves. The windows are boarded over, and the building is overgrown with vegetation.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource is in ruinous condition and has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 098-5160

**RESOURCE NAME AND ADDRESS:** Armentrout House, 733 Max Meadows Road (Rt. 121)

**DATE(S):** c. 1910

**DESCRIPTION:** Built c. 1910, this two-story wooden frame Victorian-style I-House rests on a limestone foundation (Figure 7). The exterior walls are covered in weatherboard, and the side-gabled roof is clad in pressed tin shingles. The front elevation displays a front facing gable with decorative shingles, a vent with a pointed arch, and decorative spindlework. The front porch is three bays wide with a hipped roof, a spindlework frieze, decorative brackets, and turned posts and railing. There is decorative spindlework in each gable end on the house. The windows are two-over-two and six-over-six wooden sash windows with wooden surrounds. There are two corbelled brick chimneys located in the center of the main roof, a corbelled brick chimney in the center of the rear two-story ell, and a brick chimney on the west exterior end of the ell. The rear ell features an integral two-tier porch with decorative brackets on the south elevation. A one-story hipped addition has been appended to the west elevation of the main house. A basement door is located on the south elevation. Northwest of the house is a barn/corncrib constructed c. 1910. The exterior of the barn is covered in weatherboard, and the gabled roof is clad in standing-seam metal. West of the house are two c. 1920 sheds. Shed (A) is clad in vertical boards and has a gabled roof covered in standing-seam metal. Shed (B) is clad in weatherboard and has a gabled roof covered in standing-seam metal. A wire fence encloses the yard around the house.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 098-5161

**RESOURCE NAME AND ADDRESS:** Jackson House, 785 Max Meadows Road (Rt. 121)

**DATE(S):** c. 1945

**DESCRIPTION:** Built c. 1945, this one-story wooden frame house rests on foundation that is covered in lattice and vinyl siding. The exterior walls are covered in vinyl siding, and the hipped roof is clad in new 5-V crimped metal. The original windows have been replaced with six-over-six (false muntins) vinyl sash windows with decorative shutters. The original porch has been replaced with a porch that wraps around the east and south elevations and features a hipped roof supported by turned vinyl posts. The porch has been partially enclosed on the south elevation. A brick chimney is located in the center of the roof. A c. 1945 large one-story wooden frame barn that features a gabled roof is located to the west of the house.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 098-5162

**RESOURCE NAME AND ADDRESS:** Dwelling, 855 Max Meadows Road (Rt. 121)

**DATE(S):** c. 1945

**DESCRIPTION:** Built c. 1945, this one-story wooden frame house rests on a solid foundation of concrete block. This gable-front-and-wing house is an example inspired by the Minimal Traditional style of the 1940s (McAlester and McAlester 1998). The exterior walls are covered in asbestos siding, and the gabled roof is clad in 5-V crimped metal. A shed-roofed porch is located in the L formed by the two wings and features cast metal supports. The windows are three-over-one wooden double-hung sash and one picture window with decorative shutters.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 098-5163

**RESOURCE NAME AND ADDRESS:** Outbuildings, 261 Kent's Lane

**DATE(S):** c. 1920

**DESCRIPTION:** Built c. 1920, this collection of outbuildings is located southwest of the Kent area on the west side of Reed Creek. The house that was once associated with these outbuildings has been demolished. There are four outbuildings including a large animal shelter, garage, corncrib, and barn. The house was located to the southeast of the barn, but there are no remnants of the structure. The c. 1920 animal shelter is a two-story structure that rests on a limestone foundation. A portion of the foundation has been replaced with concrete block. The exterior walls are clad in weatherboard, and the gabled roof is covered in standing-seam metal. A brick chimney is located in the interior portion

of the roof. The basement level is exposed on the northeast elevation. Wooden triangular brackets are located under the eaves at the gable ends. There are two metal granaries to the southwest of the animal shelter. South of the animal shelter is a c. 1940 garage that is clad in weatherboard and has a gabled roof covered in 5-V crimped metal. West of the animal shelter is a two-story corncrib. The c. 1920 corncrib is a center drive through structure with barn storage to the southwest of the drive through and the corncrib to the northeast of the drive through. The exterior walls of the corncrib are clad in weatherboard, and the gabled roof is covered in standing-seam metal. Two-over-two wooden sash windows are on the corncrib. Northwest of the animal shelter is a two-story barn that features an exterior clad in vertical boards, and a gambrel roof covered in standing-seam metal. A covered entry is located on three sides of the barn.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** These outbuildings exhibit a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 098-5164

**RESOURCE NAME AND ADDRESS:** Railroad Bridge, Near Kent's Lane (Rt. 704)

**DATE(S):** c. 1945

**DESCRIPTION:** This mid-twentieth-century concrete bridge carries one line of railroad track over a small tributary of Reed Creek. The bridge is a stationary reinforced concrete bridge. A single reinforced concrete pier supports the bridge.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This railroad bridge was built c. 1945. The design of this bridge is common for the period of construction. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This stationary bridge does not exhibit any unique or innovative engineering features. Additionally, this bridge is a simple, utilitarian structure that does not display notable decorative details or an overall aesthetic design. Therefore, the resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5077

**RESOURCE NAME AND ADDRESS:** Dwelling, 715 Lovers Lane (Rt. 647)

**DATE(S):** c. 1950

**DESCRIPTION:** Built c. 1950, this one-story wooden frame house rests on a solid foundation of concrete block. This gable-front-and-wing house is an example inspired by the Minimal Traditional style of the 1940s (McAlester and McAlester 1998). The exterior walls are covered in vinyl siding, and the gabled roof is clad in asphalt shingles. A shed-roofed addition has been appended to the rear façade. A shed-roofed porch is located in the L formed by the two wings and features square wooden posts. The windows are one-over-one aluminum double-hung sash windows with decorative shutters. To the northwest is a c. 1990 prefabricated shed (A) covered in vinyl siding. Shed (A) has a gabled roof clad in asphalt shingles. West of the house is a second prefabricated shed (B) that is clad in vinyl siding. Shed (B) has a gabled roof covered in asphalt shingles.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5078

**RESOURCE NAME AND ADDRESS:** Dwelling, 555 Lovers Lane (Rt. 647)

**DATE(S):** c. 1925

**DESCRIPTION:** Built c. 1925, this two-story Craftsman-style house features a wooden frame structural system that rests on a solid foundation of concrete block. The exterior walls are covered in brick, and the side-gabled roof is clad in asphalt shingles. A shed-roof dormer is located on the front and the rear slopes of the roof. Two brick chimneys are located in the center of the roof, and a third brick chimney is located on the north exterior wall. The front porch is three bays wide and features a shed roof supported by tapered wooden columns on brick piers. The windows are three-over-one wooden double-hung sash windows. To the southwest is a c. 1970 two-bay garage clad in vinyl siding and has a gabled roof covered in asphalt shingles. West of the house is a c. 1925 concrete block shed that displays a gabled roof covered in asphalt shingles.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5079

**RESOURCE NAME AND ADDRESS:** Carty House, 495 Lovers Lane (Rt. 647)

**DATE(S):** c. 1950

**DESCRIPTION:** Built c. 1950, this one-story wooden frame house rests on a solid foundation of concrete block. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in asphalt shingles. One brick chimney is located in the interior portion of the roof. The integral front porch is two bays wide and features tapered wooden columns on brick piers. The windows are one-over-one aluminum sash windows with decorative shutters. A small gabled pump house has been appended to the south elevation. A large gabled addition has been added to the north elevation of the house, and a wooden deck is located on the west elevation of the addition. An attached two-bay garage is located at the basement level on the north elevation, which is exposed due to the sloped home site. Southwest of the house is a one-bay concrete block garage that was built c. 1950. The garage has a gabled roof covered in asphalt shingles.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5080

**RESOURCE NAME AND ADDRESS:** Carty House, 425 Lovers Lane (Rt. 647)

**DATE(S):** c. 1950

**DESCRIPTION:** Built c. 1950, this Late Tudor-Revival-style house features a wooden frame structural system that rests on a foundation of concrete block. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in asphalt shingles. The front elevation of this house features a brick chimney, one-bay shed porch with no supports, and a dominant front facing gable. A fan-light window is located in the façade of the front facing gable, as well as a picture window. The windows are one-over-one aluminum and two-over-two wooden horizontal double-hung sash. A large shed-roofed dormer is located on the rear slope of the roof. A concrete block carport that is open to the east and has a gabled roof has been appended to the north elevation of the house. To the west are a c. 1950 corncrib, c. 1950 barn, and c. 1950 chicken house. The corncrib is a wooden frame structure that has a single bay on the south end of the structure and the corncrib on the north end of the structure. The roof of the corncrib is gabled and clad in standing-seam metal. The barn is a two-story wooden frame structure that features a gambrel roof. A shed-roofed wing is appended to the south elevation of the barn, and a gabled addition is located on the east elevation. The chicken house is a wooden frame structure that has a shed roof covered in standing-seam metal.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5081

**RESOURCE NAME AND ADDRESS:** Dwelling, 150 Lovers Lane (Rt. 647)

**DATE(S):** c. 1930

**DESCRIPTION:** Built c. 1930, this one-story wooden frame house rests on a concrete block foundation. The exterior walls are covered in asbestos siding, and the side-gabled roof is clad in 5-V crimped metal. A brick chimney is located on the east exterior end of the house. The front porch is a one-story, one-bay screened porch with a front gabled roof. The porch is located on the south elevation. The front entry features sidelights and a transom window. The rear elevation features a shed-roofed porch with a closed railing. The windows are three-over-one wooden double-hung sash windows.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

## **West Terminus Interchange**

**West Terminus Interchange Previously Recorded Resources.** There are 61 previously recorded architectural resources within the APE for the West Terminus Interchange, as shown in Table 3 and Figures 8a and 8b. Three of the resources have

been demolished since they were last visited; including Wytheville Catholic Church (VDHR #139-0013), the Lacy House (VDHR #139-0017), and the Springhouse associated with the former Johnson House (VDHR #139-5031). The Wytheville Knitting Mill (VDHR #139-5037), is considered potentially eligible for the NRHP, but has not been surveyed at the intensive level to determine whether the resource qualifies for listing in the NRHP. The resource was determined potentially eligible for the NRHP by VDHR following CCR’s survey of the existing alignment of the Tier 2 I-81/I-77 overlap in 2008 (Lautzenheiser et al. 2008).

One previously recorded resource, Ingleside (VDHR #139-0022), has been determined eligible for the NRHP by VDHR. Oak Level (VDHR #139-0015) and the Wytheville Historic District (VDHR #139-0029, are listed on the NRHP. The previously recorded Crenshaw House (VDHR #098-5060) never received a determination of eligibility, but was revisited and the resource documentation was updated. The Crenshaw House is recommended as not eligible for the NRHP. The other previously recorded resources in the APE for the West Terminus Interchange have been determined not eligible for the NRHP by VDHR.

Table 3: Summary of Previously Recorded Architectural Resources in APE for West Terminus Interchange.

<b>Inventory Number</b>	<b>Name, Address</b>	<b>Date</b>	<b>NRHP Eligibility</b>
098-5052	Mullins House, 305 Country Lane	c. 1920	Not Eligible
098-5053	Dwelling, 295 Country Lane	c. 1940	Not Eligible
098-5054	Dwelling, 265 Country Lane	c. 1935	Not Eligible
098-5055	Dwelling, 255 Country Lane	c. 1935	Not Eligible
098-5056	Dwelling, 245 Country Lane	c. 1935	Not Eligible
098-5057	Hurt House, 205 Country Lane	c. 1935	Not Eligible
098-5058	Dwelling, 155 Country Lane	c. 1935	Not Eligible
098-5059	Dwelling, 1345 Pepper’s Ferry Road	c. 1950	Not Eligible
098-5060	Crenshaw House, 1585 Granite Acres Drive	1920	Recommended Not Eligible
098-5106	Dwelling, 100 Granite Acres Road	c. 1960	Not Eligible
098-5107	Oakwood Memorial Gardens, West Side of Pepper’s Ferry Road	c. 1883	Not Eligible
098-5108	Dwelling, 290 Cove Road	c. 1900	Not Eligible
139-0013	Wytheville Catholic Church		Demolished
139-0015	Oak Level	1852	NRHP Listed
139-0017	Lacy House	pre-1857	Demolished
139-0022	Ingleside	1874	Eligible
139-0029	Wytheville Historic District	Post-1830	NRHP Listed
139-0044	Dwelling, 525 Cassell Road	c. 1940	Not Eligible
139-5031	Springhouse Associated with Former Johnson House	ca. 1850	Demolished

139-5032	Ivan Umberger House, 330 Dogwood Drive	c. 1950	Not Eligible
139-5033	Dwelling, 270 Dogwood Drive	c. 1950	Not Eligible
139-5034	Dwelling, 260 Dogwood Drive	c. 1950	Not Eligible
139-5035	Dwelling, 603 Cove Road	c. 1930	Not Eligible
139-5036	Dwelling, 480 Cove Road	c. 1920	Not Eligible
139-5037	Wytheville Knitting Mill, 555 Pepper's Ferry Road	c. 1939	Potentially Eligible
139-5038	John H. Crockett Farm, 1500 Pepper's Ferry Road	c. 1948	Not Eligible
139-5040	Dwelling, 645 Cassell Road	c. 1945	Not Eligible
139-5041	Dwelling, East Side of Cassell Road	c. 1940	Not Eligible
139-5042	Dwelling, 605 Cassell Road	c. 1940	Not Eligible
139-5043	Dwelling, 570 Cassell Road	c. 1940	Not Eligible
139-5044	Dwelling, 525 Cassell Road	c. 1940	Not Eligible
139-5045	Testerman House, 505 Cassell Road	c. 1900	Not Eligible
139-5046	Dwelling, 495 Cassell Road	c. 1935	Not Eligible
139-5047	Dwelling, 470 Cassell Road	c. 1940	Not Eligible
139-5048	Dwelling, 455 Cassell Road	c. 1950	Not Eligible
139-5049	Dwelling, 450 Cassell Road	c. 1940	Not Eligible
139-5050	Lakie Kitts House, 445 Cassell Road	c. 1945	Not Eligible
139-5051	Dwelling, 440 Cassell Road	c. 1950	Not Eligible
139-5052	Harmon House, 425 Cassell Road	c. 1950	Not Eligible
139-5054	Dwelling, 520 Chapman Road	c. 1920	Not Eligible
139-5055	Dwelling, Chapman Road	c. 1960	Not Eligible
139-5056	Kim Suthers House, Intersection of Chapman Road and Malin Drive	c. 1945	Not Eligible
139-5057	Dwelling, 745 Chapman Road	c. 1925	Not Eligible
139-5058	Dwelling, 735 Chapman Road	c. 1930	Not Eligible
139-5059	Dwelling, 685 Chapman Road	c. 1948	Not Eligible
139-5060	Dwelling, 645 Chapman Road	c. 1948	Not Eligible
139-5061	E. T. Motors, North Side of Chapman Road	c. 1950	Not Eligible
139-5062	Dwelling, North Side of Chapman Road	c. 1910	Not Eligible
139-5064	Dwelling, 210 Dogwood Drive	c. 1955	Not Eligible
139-5065	Dwelling, 115 Dogwood Drive	c. 1960	Not Eligible
139-5066	Dwelling, 650 Cove Road	c. 1960	Not Eligible
139-5067	Dwelling, 140 Dogwood Drive	c. 1960	Not Eligible
139-5068	Dwelling, 170 Dogwood Drive	c. 1960	Not Eligible
139-5069	Dwelling, 190 Dogwood Drive	c. 1958	Not Eligible
139-5070	Dwelling, 255 Dogwood Drive	c. 1960	Not Eligible
139-5071	Dwelling, 225 Dogwood Drive	c. 1960	Not Eligible
139-5072	Dwelling, 215 Dogwood Drive	c. 1960	Not Eligible
139-5073	Dwelling, 185 Dogwood Drive	c. 1960	Not Eligible
139-5074	Dwelling, 165 Dogwood Drive	c. 1960	Not Eligible
139-5075	Dwelling, 390 Cove Road	c. 1950	Not Eligible
139-5076	Dwelling, East Side of Cove Road	c. 1890	Not Eligible




Figure 8a: Architectural Resources in APE for West Terminus Interchange, Shown on the USGS 7.5' Wytheville, Virginia, Topographic Quadrangle (1968, Photorevised 1991).




Figure 8b: Architectural Resources in APE for West Terminus Interchange, Shown on the USGS 7.5' Wytheville, Virginia, Topographic Quadrangle (1968, Photorevised 1991).

**VDHR INVENTORY NUMBER:** 098-5060

**RESOURCE NAME AND ADDRESS:** Crenshaw House, 1585 Granite Acres Drive

**DATE(S):** c. 1920

**DESCRIPTION:** Built c. 1920, this one-story house features a wooden frame structural system that rests on a foundation of cast concrete, but the porch has a foundation of brick piers. The exterior walls are covered in vinyl siding, and the pyramidal roof is covered in pressed metal shingles. A concrete block chimney is located in the center of the roof. The front of the house features a front-facing gable. The front porch spans the entire length of the front façade and wraps around the east elevation. The porch appears to have wrapped around the west elevation at one time, but a one-story shed-roofed addition has been appended to the west elevation. A chimney is located in the center of the side (west) addition. A shed-roofed addition has been appended to the rear of the house. The windows are two-over-two wooden double-hung sash with decorative shutters. There are a shed and a chicken coop to the southeast of the house. The shed is a one-story wooden frame shed that is clad in vertical boards, and has a gabled roof covered in standing-seam metal. The chicken coop is a wooden frame structure with horizontal wooden slats that are evenly spaced to cover the exterior walls, and the shed roof is covered with corrugated metal.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This dwelling exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**West Terminus Interchange Newly Recorded Resources.** There are 66 newly recorded architectural resources within the APE for the West Terminus Interchange, as shown in Table 4 and Figures 8a and 8b. All of the 66 newly recorded resources in the APE for the West Terminus Interchange represent common architectural types, with alterations or additions to their original designs frequently compromising their integrity. Therefore the resources (VDHR # 098-5165 through 098-5167 and 139-5077 through 139-5139) are recommended as not eligible for the NRHP.

Table 4: Summary of Newly Recorded Architectural Resources in APE for West Terminus Interchange.

<b>Inventory Number</b>	<b>Name, Address</b>	<b>Date</b>	<b>Recommended NRHP Eligibility</b>
098-5165	Dwelling, 1055 Lovers Lane (Rt. 647)	c. 1890	Not Eligible
098-5166	Dwelling, 1075 Lovers Lane (Rt. 647)	c. 1945	Not Eligible
098-5167	Dwelling Ruins, 1005 Lovers Lane (Rt. 647)	c. 1940	Not Eligible
139-5077*	Dwelling, 715 Lovers Lane (Rt. 647)	c. 1950	Not Eligible
139-5078*	Dwelling, 555 Lovers Lane (Rt. 647)	c. 1925	Not Eligible
139-5079*	Carty House, 495 Lovers Lane (Rt. 647)	c. 1950	Not Eligible
139-5080*	Carty House, 425 Lovers Lane (Rt. 647)	c. 1950	Not Eligible
139-5081*	Dwelling, 150 Lovers Lane (Rt. 647)	c. 1930	Not Eligible

139-5082	Reardon House, 235 Walnut Road	c. 1910	Not Eligible
139-5083	Dwelling, 225 Locust Lane	c. 1935	Not Eligible
139-5084	Dwelling, 300 Locust Lane	c. 1945	Not Eligible
139-5085	Cemetery, 605 Chapman Road	c. 1905	Not Eligible
139-5086	Dwelling, 390 Cassell Road	c. 1920	Not Eligible
139-5087	Dwelling, 380 Cassell Road	c. 1955	Not Eligible
139-5088	Dwelling, 120 Faye Street	c. 1950	Not Eligible
139-5089	Dwelling, 130 Faye Street	c. 1950	Not Eligible
139-5090	Pugh House, 170 Faye Street	c. 1935	Not Eligible
139-5091	Dwelling, 155 Faye Street	c. 1945	Not Eligible
139-5092	Dwelling, 145 Faye Street	c. 1955	Not Eligible
139-5093	Dwelling, 135 Faye Street	c. 1945	Not Eligible
139-5094	Dwelling, 125 Faye Street	c. 1950	Not Eligible
139-5095	Dwelling, 130 Spring Court Drive	c. 1945	Not Eligible
139-5096	Dwelling, 160 Spring Court Drive	c. 1945	Not Eligible
139-5097	Dwelling, 200 Cove Road	c. 1900	Not Eligible
139-5098	Dwelling, 240 Cove Road	c. 1910	Not Eligible
139-5099	Dwelling, 315 Cove Road	c. 1890	Not Eligible
139-5100	Dwelling, 235 Cove Road	c. 1920	Not Eligible
139-5101	Grubb House, 420 Peppers Ferry Road	c. 1935	Not Eligible
139-5102	Dwelling, 380 Peppers Ferry Road	c. 1930	Not Eligible
139-5103	Dwelling, 705 E. Main Street	c. 1920	Not Eligible
139-5104	Commercial, 805 E. Main Street	c. 1950	Not Eligible
139-5105	Commercial, 835 E. Main Street	c. 1955	Not Eligible
139-5106	Commercial, 865 E. Main Street	c. 1955	Not Eligible
139-5107	Bob Huff GM Car Dealer, 925 E. Main Street	c. 1942	Not Eligible
139-5108	Smokey's Bar-B-Que Restaurant, 205 E. Main Street	c. 1940	Not Eligible
139-5109	Bob Huff Ford Car Dealer, 1135 E. Main Street	c. 1946	Not Eligible
139-5110	Goodyear Tires, 1070 E. Main Street	c. 1950	Not Eligible
139-5111	Dwelling, 945 Withers Road	c. 1940	Not Eligible
139-5112	Dwelling, 925 Withers Road	c. 1950	Not Eligible
139-5113	Dwelling, 905 Withers Road	c. 1900	Not Eligible
139-5114	Dwelling, 895 Withers Road	c. 1940	Not Eligible
139-5115	Dwelling, 885 Withers Road	c. 1955	Not Eligible
139-5116	Dwelling, 865 Withers Road	c. 1930	Not Eligible
139-5117	Dwelling, 855 Withers Road	c. 1900	Not Eligible
139-5118	Dwelling, 845 Withers Road	c. 1920	Not Eligible
139-5119	Dwelling, 835 Withers Road	c. 1945	Not Eligible
139-5120	Dwelling, 170 Lahue Drive	c. 1940	Not Eligible
139-5121	Dwelling, 175 Lahue Drive	c. 1940	Not Eligible
139-5122	Dwelling, 195 Lahue Drive	c. 1940	Not Eligible
139-5123	Dwelling, 190 Lahue Drive	c. 1935	Not Eligible

139-5124	Dwelling, 785 E. Liberty Street	c. 1920	Not Eligible
139-5125	Dwelling, 770 E. Liberty Street	c. 1935	Not Eligible
139-5126	Dwelling, 810 E. Liberty Street	c. 1945	Not Eligible
139-5127	Dwelling, 825 E. Liberty Street	c. 1870	Not Eligible
139-5128	Dwelling, 855 E. Liberty Street	c. 1910	Not Eligible
139-5129	Dwelling, 875 E. Liberty Street	c. 1920	Not Eligible
139-5130	Dwelling, 1215 E. Main Street	c. 1945	Not Eligible
139-5131	Dwelling, 1225 E. Main Street	c. 1945	Not Eligible
139-5132	Dwelling, 867 E. Liberty Street	c. 1947	Not Eligible
139-5133	Dwelling, 869 E. Liberty Street	c. 1920	Not Eligible
139-5134	Dwelling, 865 E. Liberty Street	c. 1955	Not Eligible
139-5135	Dwelling, 879 E. Liberty Street	c. 1930	Not Eligible
139-5136	Hoback House, 895 E. Liberty Street	c. 1918	Not Eligible
139-5137	Dwelling, 920 E. Lexington Street	c. 1930	Not Eligible
139-5138	Dwelling, 1010 E. Marshall Street	c. 1930	Not Eligible
139-5139	Quoinset Hut, 1020 E. Marshall Street	c. 1955	Not Eligible

\*See CBA 7 Resource Descriptions

**VDHR INVENTORY NUMBER:** 098-5165

**RESOURCE NAME AND ADDRESS:** Dwelling, 1055 Lovers Lane (Rt. 647)

**DATE(S):** c. 1890

**DESCRIPTION:** This two-story wooden frame I-House rests on a foundation of limestone. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in asphalt shingles. The front porch is two bays wide, and the off center front door displays a transom window. The porch displays a hipped roof supported by chamfered wooden posts that have decorative brackets. The original railing has been replaced with a modern wooden railing. A brick chimney is located on the southwest exterior end. The original windows have been replaced with four-over-four vinyl sash windows. The windows on the second floor of the front façade feature a small fan-light window above each window. There is also a fan-light window in each gable end. A large one-story gabled addition has been added to the rear of the house. A brick chimney is located in the center of the rear addition. A small-screened porch that is partially enclosed has been added to the rear of the addition. A set of wooden steps is located on the northeast façade of the rear addition and a shed-roof porch is located on the southwest elevation of the addition. West of the house is a c. 1980 one-bay garage that features exterior walls covered in T-111 siding, and a gabled roof clad in asphalt shingles. Northwest of the house is a large, c. 1990 equipment shed entirely clad in metal and has a gabled roof. To the southwest is a c. 1890 squared log corncrib. The two-story corncrib has a gabled roof covered in standing-seam metal. An entrance to the first level is located on the southeast elevation and a set of wooden steps is located on the northwest elevation that leads to the second level (loft area).

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This dwelling exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. In addition, the house has been

altered with the addition of vinyl siding, two additions, new windows, and new roofing materials. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 098-5166

**RESOURCE NAME AND ADDRESS:** Dwelling, 1075 Lovers Lane (Rt. 647)

**DATE(S):** c. 1945

**DESCRIPTION:** Built c. 1945, this one-story house features a wooden frame structural system that rests on a solid foundation of concrete block. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in asphalt shingles. A gabled wall dormer is located to each side of the front porch. The one-bay porch features a shed roof supported by square wooden posts. Fenestration consists of one-over-one aluminum sash windows and one picture window. A concrete block chimney is located in the center of the roof. A gabled addition has been appended to the southwest elevation, a shed addition has been added to the rear of the house, a gabled addition has been added to the northeast elevation, and a wooden deck has been built on the front east corner.

To the southwest is a two-bay garage (A). The c. 1980 garage is a one-story structure that is clad in vinyl siding, and has a gabled roof covered in asphalt shingles. Northwest of the house are a stable and equipment shed. The c. 1945 stable is a wooden frame one-story structure clad in vertical boards, and has a gabled roof covered in standing-seam metal. A shed addition that contains two open bays has been appended to the southeast elevation of the stable. The c. 1945 equipment shed is open on the short ends and features exterior walls covered in horizontal boards and a shed roof clad in standing-seam metal. To the north is a small c. 1980 prefabricated shed clad in plywood and features a gambrel roof covered in asphalt shingles. Northeast of the house is garage (B) built c. 1980. The large garage displays a gabled roof and is entirely clad in metal.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This dwelling exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. In addition, the house has been altered with the addition of vinyl siding, three additions, new windows, new deck, and new roofing materials. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 098-5167

**RESOURCE NAME AND ADDRESS:** Dwelling Ruins, 1005 Lovers Lane (Rt. 647)

**DATE(S):** c. 1940

**DESCRIPTION:** Built c. 1940, this house is currently in ruins. This one-story wooden frame house features exterior walls covered in weatherboard, and a gabled roof clad in corrugated metal. A brick chimney is located in the center of the roof. The porch is a one-story, one-bay structure supported by square wooden posts. The windows are six-over-six wooden double-hung sash. The house is located near a small stream.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This dwelling exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not

appear to have the ability to yield important information. In addition, the house is in ruins. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5082

**RESOURCE NAME AND ADDRESS:** Reardon House, 235 Walnut Road

**DATE(S):** c. 1910

**DESCRIPTION:** Built c. 1910, this two-story house with a “T” shape plan features a wooden frame structural system that rests on a solid foundation of limestone (Figure 9). The exterior walls are covered in vinyl siding, and the cross-gabled roof is clad in 5-V crimped metal. There are two brick chimneys located in the center of the roof. The front porch is two bays wide and features a hipped roof that is supported by turned wooden posts with decorative brackets. The windows are two-over-two wooden double-hung sash with decorative shutters. A one-story addition with a hipped roof has been added to the south elevation, and an enclosed one-story porch was added later that is located in the rear of the house along the south and east elevations. To the southeast of the house is a c. 1910 chicken house. The chicken house is clad in board and batten siding and displays a shed roof covered in corrugated metal. In addition, also to the southeast of the house is a c. 1910 shed covered in board and batten siding and has a gabled roof covered in standing-seam metal. To the south of the house is a c. 1910 smoke house clad in vertical boards and has a gabled roof covered in standing-seam metal. Southwest of the house is a c. 1930 animal shelter that features exterior walls covered in vertical boards and a shed roof clad in corrugated metal. To the southwest of the house in a field are the ruins of an old wooden frame barn. The c. 1910 barn is covered in vertical boards and features a gabled roof covered in corrugated metal.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This dwelling exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation’s history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5083

**RESOURCE NAME AND ADDRESS:** Dwelling, 225 Locust Lane

**DATE(S):** c. 1935

**DESCRIPTION:** Built c. 1935, this one-and-one-half-story house features a wooden frame structural system that rests on a solid foundation of concrete block. The exterior walls are covered in aluminum siding, and the front-gabled roof is clad in asphalt shingles. A brick chimney is located in the center of the roof. The two-bay front porch features a hipped roof supported by Doric style wooden columns. The windows are two-over-two wooden and one-over-one aluminum sash windows. A gabled addition has been added to the rear portion of the south elevation. South of the house are a wood shed and a shed. The wood shed has exterior walls that are covered in a combination of plywood and vertical boards, and a gabled roof clad in standing-seam metal. The shed is a wooden frame structure clad in board and batten siding, and has a gabled roof covered in corrugated metal. A shed wing is located on the east elevation of the shed. To the



Figure 9: Reardon House (VDHR #139-5082) Located at 235 Walnut Road.



Figure 10: Dwelling (VDHR #139-5084) Located at 300 Locust Lane.

west is an equipment shed clad in particle board and displays a roof covered in asphalt shingles.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This dwelling exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5084

**RESOURCE NAME AND ADDRESS:** Dwelling, 300 Locust Lane

**DATE(S):** c. 1945

**DESCRIPTION:** Built c. 1945, this one-story wooden frame house rests on a solid foundation of concrete block. This gable-front-and-wing house (Figure 10) is an example inspired by the Minimal Traditional style of the 1940s (McAlester and McAlester 1998). The exterior walls are covered in vinyl siding, and the cross-gabled roof is clad in 5-V crimped metal. A shed-roofed addition has been appended to the rear façade. A shed-roofed porch is located in the L formed by the two wings and features square wooden posts. The windows are one-over-one aluminum double-hung sash windows with wooden surrounds.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5085

**RESOURCE NAME AND ADDRESS:** Cemetery, 605 Chapman Road

**DATE(S):** c. 1905

**DESCRIPTION:** This historic cemetery contains approximately 50 graves of various families. There are marked and unmarked graves. The markers are inscribed headstones, primarily of granite and marble. Some groups of graves are bounded by concrete or stone family plot boundaries. This cemetery is located along the north side of Chapman Road and is overgrown with heavy vegetation. Markers are hidden in the overgrowth, and some markers are damaged or knocked over. The earliest grave is for Charlie Walter Spoon 1887-1905. Many of the graves date to the early twentieth century.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This cemetery does not lend itself to comparative archaeological or physical anthropological studies. The cemetery is recommended as not eligible for the NRHP under Criteria A, B, C, or D. It is also recommended as not eligible under Criteria Consideration C for association with important persons or Criteria Consideration D, as it contains no graves of important persons, is not of great age, contains no special design elements, and is not associated with significant events. However, relevant local and state statutes regarding the protection and relocation of cemeteries must be followed.

**VDHR INVENTORY NUMBER:** 139-5086

**RESOURCE NAME AND ADDRESS:** Dwelling, 390 Cassell Road

**DATE(S):** c. 1920

**DESCRIPTION:** Built c. 1920, this two-story wooden frame house features exterior walls clad in vinyl siding, and a side-gabled roof covered in standing-seam metal. One brick chimney is located in the center of the roof. The one-bay front porch is located on the south elevation and features a shed roof supported by square wooden posts. The windows are three-over-one wooden double-hung sash and one-over-one aluminum single-hung sash with decorative shutters. A one-bay shed-roof porch is located on the east elevation. North of the house is a c. 1920 shed covered in vertical boards and has a gabled roof covered in pressed tin shingles.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This dwelling exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. In addition, due to the alterations to this house it maintains a low level of architectural integrity. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5087

**RESOURCE NAME AND ADDRESS:** Dwelling, 380 Cassell Road

**DATE(S):** c. 1955

**DESCRIPTION:** Built c. 1955, this one-story house features a wooden frame structural system that rests on a concrete block foundation. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in asphalt shingles. The front porch is two bays wide and features a shed roof supported by square wooden posts. A large addition on the east elevation, originally a carport, spans the entire length of the east elevation and wraps around the rear elevation of the house. A gabled addition has been appended to the west elevation. A concrete flue is located on the rear wall of the house. The windows are one-over-one vinyl sash and two-over-two wooden horizontal sash windows and there is one picture window.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This dwelling exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. In addition, due to the alterations to this house it maintains a low level of architectural integrity. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5088

**RESOURCE NAME AND ADDRESS:** Dwelling, 120 Faye Street

**DATE(S):** c. 1950

**DESCRIPTION:** Built c. 1950, this one-story house features a wooden frame structural system that rests on a concrete block foundation. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in asphalt shingles. The front-gabled porch is one bay wide and is supported by square vinyl posts. Two brick chimneys are located in the center of the roof. The original windows have been replaced with four-over-four (false muntins) vinyl sash windows with decorative shutters. A small addition has been

appended to the rear of the house. East of the house is a concrete block shed, built c. 1950, that features a gabled roof covered in asphalt shingles.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This dwelling exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. In addition, due to the alterations to this house it maintains a low level of architectural integrity. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5089

**RESOURCE NAME AND ADDRESS:** Dwelling, 130 Faye Street

**DATE(S):** c. 1950

**DESCRIPTION:** Built c. 1950, this one-story house features a wooden frame structural system that rests on a concrete block foundation. The exterior walls are covered in aluminum siding, and the side-gabled roof is clad in asphalt shingles. The front porch is one bay wide and displays a shed roof that is supported by tapered concrete block piers. The windows are one-over-one aluminum sash windows. A brick chimney is located in the center of the roof. A shed-roofed addition that spans half of the width of the rear façade has been added to the house.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This dwelling exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5090

**RESOURCE NAME AND ADDRESS:** Pugh House, 170 Faye Street

**DATE(S):** c. 1935

**DESCRIPTION:** Built c. 1935, this two-story house features a wooden frame structural system that rests on a stuccoed foundation. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in asphalt shingles. A shed-roofed dormer is located on the front slope of the roof. The altered front-gabled porch is two bays wide and is supported by square wooden posts. A brick chimney is located in the center of the roof, and a second brick chimney is located on the southeast exterior side. The original windows have been replaced with one-over-one aluminum sash windows. A small shed-roofed porch has been appended to the rear of the house. A wooden frame shed with a gabled roof covered in asphalt shingles is located to the northeast of the house.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This dwelling exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. In addition, due to the alterations to this house it maintains a low level of architectural integrity. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5091

**RESOURCE NAME AND ADDRESS:** Dwelling, 155 Faye Street

**DATE(S):** c. 1945

**DESCRIPTION:** Built c. 1945, this one-story house features a wooden frame structural system that rests on a concrete block foundation. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in asphalt shingles. The front porch is three bays wide and features a shed roof supported by cast metal posts. A brick chimney is located in the center of the roof, and a second concrete flue is located on the rear wall of the house. The original windows have been replaced with four-over-one and six-over-one (false muntins) aluminum sash windows and one picture window. A large gable addition has been appended to the rear of this house.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This dwelling exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5092

**RESOURCE NAME AND ADDRESS:** Dwelling, 145 Faye Street

**DATE(S):** c. 1955

**DESCRIPTION:** Built c. 1955, this one-story house features a wooden frame structural system that rests on a concrete block foundation. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in 5-V crimped metal. The front-gabled porch is one bay wide and is supported by cast metal posts. The original windows have been replaced with one-over-one aluminum sash windows with decorative shutters. A large porch with a gable roof has been appended to the rear of this house.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This dwelling exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5093

**RESOURCE NAME AND ADDRESS:** Dwelling, 135 Faye Street

**DATE(S):** c. 1945

**DESCRIPTION:** Built c. 1945, this one-story house features a wooden frame structural system that rests on a concrete block foundation. The exterior walls are covered in asbestos siding, and the side-gabled roof is clad in asphalt shingles. The front-gabled porch is one bay wide and is supported by square wooden posts. The windows are four-over-four and six-over-six wooden sash and one picture window. A shed-roofed addition and a wooden deck have been appended to the rear of this house. A stucco clad chimney is located in the center of the roof.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This dwelling exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not

appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

***VDHR INVENTORY NUMBER:*** 139-5094

***RESOURCE NAME AND ADDRESS:*** Dwelling, 125 Faye Street

***DATE(S):*** c. 1950

***DESCRIPTION:*** Built c. 1950, this one-story house features a wooden frame structural system that rests on a concrete block foundation. The exterior walls are covered in vinyl siding, and the hipped roof is clad in asphalt shingles. The front porch is one bay wide and features a metal awning that is supported by metal posts. The windows are one-over-one aluminum sash windows. A small shed-roofed addition has been appended to the rear of this house.

***RECOMMENDATIONS FOR NRHP ELIGIBILITY:*** This dwelling exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

***VDHR INVENTORY NUMBER:*** 139-5095

***RESOURCE NAME AND ADDRESS:*** Dwelling, 130 Spring Court Drive

***DATE(S):*** c. 1945

***DESCRIPTION:*** Built c. 1945, this one-story house features a wooden frame structural system that rests on a stuccoed foundation. This house displays a small degree of the Tudor Revival style in the appearance of the front porch that features a front gabled entry with an asymmetrical roof and small window beside the door. An aluminum awning provides cover for the front porch. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in asphalt shingles. The original windows have been replaced with eight-over-eight aluminum sash windows. A gabled addition has been appended to the rear of this house. North of the house is a two-bay garage that was built c. 1945. The garage is clad in weatherboard, and has a hipped roof covered in asphalt shingles.

***RECOMMENDATIONS FOR NRHP ELIGIBILITY:*** This dwelling exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

***VDHR INVENTORY NUMBER:*** 139-5096

***RESOURCE NAME AND ADDRESS:*** Dwelling, 160 Spring Court Drive

***DATE(S):*** c. 1945

***DESCRIPTION:*** Built c. 1945, this one-story Tudor-Revival style house features a wooden frame structural system that rests on a stuccoed foundation. This house displays a single dominant front gable with an asymmetrical roofline that contains a recessed arched doorway and single window. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in asphalt shingles. The original windows have been replaced with one-over-one aluminum sash windows with decorative shutters. A gabled addition has been appended to the rear of the southwest elevation of this house. A brick chimney

is located on the southwest elevation, and a second brick chimney is located in the center of the roof. North of the house is a c. 1970 metal shed that has a gabled roof.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This dwelling exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5097

**RESOURCE NAME AND ADDRESS:** Dwelling, 200 Cove Road

**DATE(S):** c. 1900

**DESCRIPTION:** Built c. 1900, this two-story wooden frame I-House rests on a limestone foundation. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in standing-seam metal. The front elevation displays a front facing gable and one-story three-bay porch with a hipped roof, decorative brackets, turned posts, and turned railing. The windows are one-over-one aluminum sash windows with decorative shutters. A two-story ell is located in the center of the rear façade, and a one-story enclosed shed-roofed porch that spans the entire length of the ell is located on the south elevation of the ell. A small one-story shed-roofed porch that has been enclosed is located on the north elevation of the ell. The northwest corner of the front elevation displays an area that has been enclosed with lattice. To the northeast of the house are a shed and chicken house. The c. 1950 shed is constructed of concrete block and features a gabled roof covered in corrugated metal. The shed has a one-over-one wooden double-hung sash window. The c. 1910 chicken house features exterior walls that are clad in vertical boards, and a shed roof clad in corrugated metal.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5098

**RESOURCE NAME AND ADDRESS:** Dwelling, 240 Cove Road

**DATE(S):** c. 1910

**DESCRIPTION:** Built c. 1910, this two-story wooden frame I-House rests on a foundation of brick piers with concrete block infill. The exterior walls are covered in aluminum siding, and the side-gabled roof is clad in standing-seam metal. A one-story ell is located in the middle of the rear façade. A one-story shed-roofed porch that spans the entire length of the ell is located on the south elevation of the ell. A small wooden porch has been added to the north elevation of the ell. The front porch is a one-story, one-bay front gabled entry supported by cast metal supports. Two brick chimneys are located in the center of the main roof, and a third brick chimney is located in the center of the rear ell.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or

person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5099

**RESOURCE NAME AND ADDRESS:** Dwelling, 315 Cove Road

**DATE(S):** c. 1890

**DESCRIPTION:** This house was constructed during the latter part of the nineteenth century, according to the current homeowner. This house does retain architectural elements to confirm a turn-of-the-century construction date. The house can be described as a simple, side-gabled, hall-and-parlor house that was expanded with a porch, and rear shed-roofed addition. This was the dominant pre-railroad folk house style in much of the southeastern part of the country well into the twentieth century (McAlester and McAlester 1998). This wooden frame house features exterior walls clad in weatherboard, and a side-gabled roof covered in pressed tin shingles. A shed-roofed dormer is located on the front slope of the roof. The three-bay front porch displays a shed roof supported by tapered square wooden columns. Decorative shingle detailing is in the porch ends. The windows are two-over-two wooden double-hung sash. Two brick chimneys are located in the center of the roof, and a third brick chimney is located on the exterior wall of the rear elevation. The rear of the house features a one-story shed-roofed addition.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5100

**RESOURCE NAME AND ADDRESS:** Dwelling, 235 Cove Road

**DATE(S):** c. 1920

**DESCRIPTION:** Built c. 1920, this one-story wooden frame house is a side-gabled, hall-and-parlor house that was expanded with a porch, and rear shed-roofed addition. This was the dominant pre-railroad folk house style in much of the southeastern part of the country well into the twentieth century (McAlester and McAlester 1998). This wooden frame house features exterior walls clad in composition siding, and a side-gabled roof covered in pressed tin shingles. The house rests on a solid foundation of concrete block. Two brick chimneys are located in the center of the roof. The windows are three-over-one wooden double-hung sash windows. The front porch is three bays wide and features a shed roof supported by turned wooden posts. A shed-roofed addition has been appended to the rear of the house.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5101

**RESOURCE NAME AND ADDRESS:** Grubb House, 420 Peppers Ferry Road

**DATE(S):** c. 1935

**DESCRIPTION:** Built c.1935, this two-story Craftsman-style house rests on a solid stuccoed foundation. The exterior walls are covered in brick, and the side-gabled roof with exposed beams under the eaves is covered in asphalt shingles. A brick chimney is located in the center of the roof. The three-bay front porch features arched bays between the square wooden columns that rest on brick piers. The windows are eight-over-eight wooden double-hung sash and 12-light aluminum casement windows. A shed-roofed bay projects from the rear elevation of the house. Northwest of the house is a one-bay brick garage that has a pyramidal roof covered in wooden shingles. The garage was built c. 1935.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5102

**RESOURCE NAME AND ADDRESS:** Dwelling, 380 Peppers Ferry Road

**DATE(S):** c. 1930

**DESCRIPTION:** Built c. 1930, this one-story wooden frame house features a solid stuccoed foundation. The exterior walls are covered in aluminum siding, and the side-gabled roof is clad in 5-V crimped metal. A brick chimney is located in the center of the roof. The three-bay front porch displays a shed roof supported by turned wooden posts. The windows are one-over-one aluminum sash with decorative shutters. A shed-roofed addition has been appended to the rear elevation and spans the entire length of the rear façade. Southwest of the house is a c. 1930 one-bay garage that rests on a foundation of concrete block. The exterior walls of the garage are covered in weatherboard, and the gabled roof is clad in pressed tin shingles. West of the house is a c. 1950 shed that is clad in board and batten siding and aluminum siding. The shed has a gabled roof covered in 5-V crimped metal.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5103

**RESOURCE NAME AND ADDRESS:** Dwelling, 705 East Main Street

**DATE(S):** c. 1920

**DESCRIPTION:** Built c. 1920, this two-story house features a wooden frame structural system that rests on a solid brick foundation. The exterior walls, originally weatherboard, are now covered in brick, and the hipped roof is clad in asphalt shingles. A hipped dormer is located on the front elevation of the roof. The roof features wide overhanging eaves with decorative low-relief brackets. There are three brick chimneys located in the

interior portion of the main roof. The front porch is four bays wide and has been altered from its original appearance. The porch decking has been replaced and the high-style Corinthian columns may not be original. In addition, the front door has been replaced. The porch features a hipped roof with the same wide overhanging eaves with decorative low-relief brackets as seen on the roof and dormer. The front door features a classical door surround. The original windows have been replaced with one-over-one aluminum sash windows. A two-story shed-roofed addition has been appended to the rear elevation.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. In addition, due to the numerous alterations this house maintains a low level of architectural integrity. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5104

**RESOURCE NAME AND ADDRESS:** Commercial Building, 805 East Main Street

**DATE(S):** c. 1950

**DESCRIPTION:** Built c. 1950, this post-war commercial building features a masonry structural system that rests on a foundation of concrete block. The original exterior walls have been covered with vinyl siding, and the roof is flat with a parapet wall. The front entrance is located on the north corner and features a curved corner with ribbon style fixed windows. Next to the large fixed windows is a single door entry with a transom window. Above the door the parapet wall is raised above the height of the rest of the wall. Two garage bays are located on the northwest elevation, and a third garage bay is located on the southeast elevation. A concrete block chimney is located on the southeast exterior wall.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5105

**RESOURCE NAME AND ADDRESS:** Commercial Building, 835 East Main Street

**DATE(S):** c. 1955

**DESCRIPTION:** Built c. 1955, this one-story masonry frame commercial building is constructed of concrete block. The exterior walls feature exposed concrete block, and the roof is flat with a parapet wall. The front façade has been covered with brick. This building houses two businesses, The Dirty Dawg Car Wash and The Smokers Friend Tobacco Outlet. The signage for the businesses is located on the front façade beneath the roofline and features lit signs. Beneath the signs are a pent roof and the openings for the stores. The car wash business displays a garage bay and the tobacco outlet displays a fully glazed front façade with storefront windows.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not

appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

***VDHR INVENTORY NUMBER:*** 139-5106

***RESOURCE NAME AND ADDRESS:*** Commercial Building, 865 East Main Street

***DATE(S):*** c. 1955

***DESCRIPTION:*** Built c. 1955, this two-story wooden frame structure rests on a solid brick foundation. The exterior walls are covered in brick, and the side-gabled roof is clad in asphalt shingles. A wooden cupola is located in the center of the roof, and two gabled dormers are located on the front elevation of the roof. A shed-roofed dormer is located on the rear elevation of the roof. The front entrance is a one-bay enclosed entry with a hipped roof and two doors. A brick chimney is located on the rear exterior wall. A wooden deck that leads to a second floor entry is located on the rear elevation. The windows are six-over-six and eight-over-eight wooden double-hung sash windows with decorative shutters.

***RECOMMENDATIONS FOR NRHP ELIGIBILITY:*** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

***VDHR INVENTORY NUMBER:*** 139-5107

***RESOURCE NAME AND ADDRESS:*** Bob Huff GM Car Dealership, 925 East Main Street

***DATE(S):*** c. 1942

***DESCRIPTION:*** Built c. 1942, this one-story building features a concrete block structural system that rests on a foundation of concrete block. The north corner of the building, where the car showroom is located, features a brick exterior, but the rest of the building displays a concrete block exterior. The showroom features commercial ribbon windows on the north corner covered by a metal commercial awning with no supports. The building has 20-light industrial awning windows, and multiple garage bays. The rear elevation features a stepped parapet. The southeast wall of the building features an exposed basement level that has four garage bays.

***RECOMMENDATIONS FOR NRHP ELIGIBILITY:*** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

***VDHR INVENTORY NUMBER:*** 139-5108

***RESOURCE NAME AND ADDRESS:*** Smokey's Bar-B-Que Restaurant, 205 East Main Street

***DATE(S):*** c. 1940

***DESCRIPTION:*** Built c. 1940, this one-story wooden frame house now functions as a restaurant. The house originally faced East Main Street, but the entrance to the restaurant now faces the shopping center parking lot. The original hipped front porch has been

enclosed. The exterior walls are covered in T-111 siding, and the gabled roof is clad in asphalt shingles. The building rests on a solid foundation of concrete block. A brick chimney is located in the center of the roof. The current entrance is located on the north elevation and features a two-bay front-gabled entry that is supported by square wooden posts. The front entry displays wooden steps and a wooden handicap ramp. A fixed storefront window is next to the front entry door, which is fully glazed. The other windows on the building are three-over-one wooden double-hung sash.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. In addition, due to the numerous alterations this house maintains a low level of architectural integrity. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5109

**RESOURCE NAME AND ADDRESS:** Bob Huff Ford Car Dealership, 1135 East Main Street

**DATE(S):** c. 1946

**DESCRIPTION:** Built c. 1946, this one-story masonry structure features Modernistic elements in its appearance. The exterior walls of the building are covered in brick that is close to square in shape, and the flat roof displays coping along the roof line. The north corner of the structure is curved and features eight-light aluminum casement windows. The car showroom features ribbon style store front windows along the front façade. Other windows on the building include 12-light casement windows, 18-light metal industrial windows, and sections of glass block in the clerestory on the sides of the building. The front, sides, and rear of the building display garage bays. The rear of building also has brick pilasters. A brick chimney is located in the center of the roof.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5110

**RESOURCE NAME AND ADDRESS:** Goodyear Tires, 1070 East Main Street

**DATE(S):** c. 1950

**DESCRIPTION:** Built c. 1950, this one-story building features a masonry frame system that rests on a foundation of concrete block. The exterior walls of the sides and rear of the building are constructed of concrete block, and the front façade is clad in brick. The rear section of the building is a warehouse that is clad in metal siding. The portion of the building that contains the showroom and cashier in the front of the building projects out from the front façade and features store front windows and a fully glazed entry door. The remaining portion of the front façade contains three garage bays. The roof is flat with a parapet that has barrel tile coping, and the parapet is stepped on the sides. Other windows on the building are 12-light industrial windows.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5111

**RESOURCE NAME AND ADDRESS:** Dwelling, 945 Withers Road

**DATE(S):** c. 1940

**DESCRIPTION:** Built c. 1940, this one-story Craftsman-style house features a wooden frame structural system that rests on a solid stuccoed foundation. The exterior walls are clad in common bond brick, and the side-gabled roof is covered in asphalt shingles. Extended roof joists are exposed in the eaves. The front elevation features a front-facing gable and a two-bay porch that is supported by square wooden posts on brick piers. A brick chimney is located in the center of the roof. The windows are one-over-one aluminum double-hung sash with decorative shutters.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5112

**RESOURCE NAME AND ADDRESS:** Dwelling, 925 Withers Road

**DATE(S):** c. 1950

**DESCRIPTION:** Built c. 1950, this one-story house features a wooden frame structural system that rests on a solid stuccoed foundation. The exterior walls are clad in vinyl siding, and the side-gabled roof is covered in asphalt shingles. A brick chimney is located in the center of the roof. The front elevation features a front-facing gable that is flanked on one side a two-bay porch that is supported by cast metal supports. Located on the other side of the front gable is a one bay enclosed shed roof entry. The windows are eight-over-eight wooden double-hung sash. Southeast of the house is a two-story garage that was built c. 1950 and features exterior walls that are covered in vinyl siding, and a gabled roof clad in asphalt shingles.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5113

**RESOURCE NAME AND ADDRESS:** Dwelling, 905 Withers Road

**DATE(S):** c. 1900

**DESCRIPTION:** Built c. 1900, this two-story I-House features a wooden frame structural system that rests on a foundation of stone piers with brick infill. The exterior walls are covered in weatherboard, and the gabled roof is clad in pressed tin shingles.

The front elevation features a front facing gable on the roof and a three bay porch with hipped roof that is supported by square wooden posts with decorative brackets. A small amount of decorative spindle work is located in each gable end on the house. The front door features a transom and sidelights. A brick chimney is located at each interior end of the roof. The chimney on the east elevation has collapsed. Another chimney is located in the center of the rear two-story ell. The two-story ell displays a small shed dormer on the west elevation of the roof. The rear of the house displays a two-story addition that sets inside the L formed by the main house and the rear ell. The addition contains a screened sleeping porch on the second floor of the rear addition, and an integral open porch on the first floor.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5114

**RESOURCE NAME AND ADDRESS:** Dwelling, 895 Withers Road

**DATE(S):** c. 1940

**DESCRIPTION:** Built c. 1940, this two-story Craftsman-style house features a wooden frame structural system that rests on a solid foundation of concrete block. The exterior walls are clad in vinyl siding, and the side-gabled roof is covered in asphalt shingles. The front elevation features a shed-roofed dormer and a two-bay porch that has a shed roof supported by tapered square wooden columns. A shed-roofed dormer is located on the rear elevation of the roof. A gabled addition with a lower roof line has been appended to the east elevation. A brick chimney is located in the center of the roof. The windows are six-over-one wooden double-hung sash with decorative shutters. Appended to the rear of the house is a two-story garage apartment that features the address, 125 Lahue Drive. The garage apartment features exterior walls that are clad in vinyl siding, and a gabled roof clad in standing-seam metal. A long shed-roofed dormer is located on the east elevation. The windows on the garage are six-over-six wooden double-hung sash. A covered walkway connects the garage to the house.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5115

**RESOURCE NAME AND ADDRESS:** Dwelling, 885 Withers Road

**DATE(S):** c. 1955

**DESCRIPTION:** Built c. 1955, this one-story wooden frame house features a solid foundation of concrete block. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in asphalt shingles. A brick chimney is located in the center of the roof. The front shed-roofed porch has been enclosed. The original windows have been replaced with six-over-six (false muntins) sash windows with decorative shutters.

Southeast of the house is a c. 1980 prefabricated shed that features exterior walls that are clad in T-111 siding, and a gambrel roof covered in asphalt shingles.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5116

**RESOURCE NAME AND ADDRESS:** Dwelling, 865 Withers Road

**DATE(S):** c. 1930

**DESCRIPTION:** Built c. 1930, this one-story house features a wooden frame structural system that rests on a stuccoed foundation. The exterior walls are covered in weatherboard, and the side-gabled roof is clad in asphalt shingles. A brick chimney is located in the center of the roof, and a second brick chimney is located on the west exterior wall. The front integral porch is screened and displays the peak of a front gable over it. Fenestration consists of three-over-one wooden double-hung sash windows with decorative shutters. There are two sheds to the rear of the house. Shed (A) is a c. 1950 one-story wooden frame structure that has a gabled roof covered in 5-V crimped metal, and shed (B) is a c. 1930 one-story structure that is clad in weatherboard and has a shed roof covered in 5-V crimped metal.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5117

**RESOURCE NAME AND ADDRESS:** Dwelling, 855 Withers Road

**DATE(S):** c. 1900

**DESCRIPTION:** Built c. 1900, this two-story I-House has been significantly altered. The house rests on a limestone foundation. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in asphalt shingles. A brick chimney is located in the center of the roof. The original porch has been replaced with a one-story, one-bay porch that features modern wooden decking and a shed roof supported by square wooden posts. The original windows have been replaced with aluminum six-over-six sash windows with decorative shutters. A large shed roof addition that spans the entire length of the rear facade has been appended to the south elevation. An integral one-bay carport is located on the west elevation of the rear addition. There are two sheds associated with this house, one is located to the southeast, and the second is located to the southwest. The sheds are both c. 1980 prefabricated metal structures that feature gabled roofs.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This structure exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. In addition, due to numerous

alterations this house maintains a low level of architectural integrity. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

***VDHR INVENTORY NUMBER:*** 139-5118

***RESOURCE NAME AND ADDRESS:*** Dwelling, 845 Withers Road

***DATE(S):*** c. 1920

***DESCRIPTION:*** Built c. 1920, this one-story house displays elements of the Art Deco style, including a stucco wall surface and a flat roof with vertical projections. The house features a one-bay porch with a flat roof and vertical wall projections at each corner. The porch is supported by cast metal supports. Fenestration consists of one-over-one aluminum sash and three-over-one wooden sash windows. The stucco is falling off in some areas to reveal a concrete block structural system.

***RECOMMENDATIONS FOR NRHP ELIGIBILITY:*** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. In addition, due to the poor condition of the stucco, the replaced windows, and the replaced porch supports this house maintains a low level of architectural integrity. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

***VDHR INVENTORY NUMBER:*** 139-5119

***RESOURCE NAME AND ADDRESS:*** Dwelling, 835 Withers Road

***DATE(S):*** c. 1945

***DESCRIPTION:*** Built c. 1945, this one-story wooden frame house rests on a solid foundation of concrete block. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in asphalt shingles. The front-gabled porch is located in the center of the front façade and is supported by cast metal posts. The windows are one-over-one aluminum double-hung sash. A brick chimney is located in the center of the roof. To the southwest is a c. 1980 shed that is clad in T-111 siding, and has a gabled roof covered in asphalt shingles.

***RECOMMENDATIONS FOR NRHP ELIGIBILITY:*** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

***VDHR INVENTORY NUMBER:*** 139-5120

***RESOURCE NAME AND ADDRESS:*** Dwelling, 170 Lahue Drive

***DATE(S):*** c. 1940

***DESCRIPTION:*** Built c. 1940, this one-story wooden frame house rests on a solid stuccoed foundation. The exterior walls are covered in vinyl siding, and the front-gabled roof is clad in standing-seam metal. A brick chimney is located in the center of the roof. The front porch is a one-story, one-bay structure that has a shed roof supported by square wooden posts. The windows are one-over-one aluminum and three-over-one wooden sash windows with decorative shutters. East of the house is a retaining wall.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5121

**RESOURCE NAME AND ADDRESS:** Dwelling, 175 Lahue Drive

**DATE(S):** c. 1940

**DESCRIPTION:** Built c. 1940, this one-story wooden frame house rests on a solid stuccoed foundation. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in asphalt shingles. The front porch is a one-story, one-bay structure that has a shed roof supported by square wooden posts. A brick chimney is located in the center of the roof. Fenestration consists of six-over-six aluminum sash windows. Appended to the rear of the house is a one-story shed-roofed addition that was once an open porch, but it has been enclosed. Southwest of the house is a c. 1980 shed that is clad in T-111 siding, and has a gabled roof covered in asphalt shingles.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5122

**RESOURCE NAME AND ADDRESS:** Dwelling, 195 Lahue Drive

**DATE(S):** c. 1940

**DESCRIPTION:** Built c. 1940, this one-story wooden frame house rests on a solid stuccoed foundation. The exterior walls are covered in aluminum siding, and the side-gabled roof is clad in asphalt shingles. The one-bay porch has a front-gabled roof with a curved underside that has decorative brackets and is supported by square wooden posts. A brick chimney is located in the center of the roof. Fenestration consists of one-over-one aluminum sash windows with decorative shutters. A shed-roofed porch is located on the rear elevation, but has been enclosed. A one-story gabled addition has been appended to the rear elevation. The addition features a garage entrance at the basement level on the west elevation that is possible due to the sloped home site.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5123

**RESOURCE NAME AND ADDRESS:** Dwelling, 190 Lahue Drive

**DATE(S):** c. 1935

**DESCRIPTION:** Built c. 1935, this one-story wooden frame house rests on a solid stuccoed foundation. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in asphalt shingles. The one-bay porch has a steeply pitched front-gable roof with decorative brackets. A brick chimney is located in the center of the roof. Fenestration consists of one-over-one aluminum sash windows. The house displays

decorative brackets in the eaves of the gable ends. There is a small shed-roofed addition that has been appended to the rear of the house.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5124

**RESOURCE NAME AND ADDRESS:** Dwelling, 785 East Liberty Street

**DATE(S):** c. 1920

**DESCRIPTION:** Built c. 1920, this two-story wooden frame house displays a foundation of cast concrete. The exterior walls are covered in vinyl siding, and the hipped roof is clad in asphalt shingles. The original porch has been altered, and now features a two-bay porch with a hipped roof supported by turned wooden posts that rests on modern wooden decking. There are two brick chimneys located in the center of the roof. Fenestration consists of two-over-two wooden double-hung sash windows. The house displays a one-story addition that wraps around the northeast and southeast elevations.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5125

**RESOURCE NAME AND ADDRESS:** Dwelling, 770 East Liberty Street

**DATE(S):** c. 1920

**DESCRIPTION:** Built c. 1920, this two-story Craftsman style wooden frame house displays a foundation that has been covered with vinyl panels that give the appearance of stone. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in asphalt shingles. A gabled dormer is located on the front elevation of the roof. The front porch has been enclosed. A brick chimney is located in the center of the roof. Fenestration consists of three-over-one wooden sash windows. The house displays exposed rafter tails. A shed addition and wooden deck have been added to the rear elevation. There is a small c. 1990 shed to the rear of the house. The shed is clad in T-111 siding, and has a gabled roof covered in metal.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5126

**RESOURCE NAME AND ADDRESS:** Dwelling, 810 East Liberty Street

**DATE(S):** c. 1945

**DESCRIPTION:** Built c. 1945, this one-and-one-half story wooden frame house rests on a solid foundation of concrete block. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in asphalt shingles. The front-gabled porch is located in the

center of the front façade and is supported by cast metal posts. The windows are one-over-one aluminum double-hung sash with decorative shutters. Two brick chimneys are located in the center of the roof. A one-story gabled ell has been appended to the rear of the house. An enclosed porch with a shed roof and covered entry has been added to the northeast elevation.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5127

**RESOURCE NAME AND ADDRESS:** Dwelling, 825 East Liberty Street

**DATE(S):** c. 1870

**DESCRIPTION:** Built c. 1870, the exterior of this house reflects a log house form, but this could not be verified. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in 5-V crimped metal. The second floor of this dwelling is probably a loft space. The small one-over-one aluminum sash windows under the eaves give the appearance from the exterior of a loft space. The other windows on the house are six-over-six (fake muntins) double-hung sash windows. A new brick chimney is located on the southwest elevation of the main house, and a second modern brick chimney is located in the center of the rear elevation. The rear addition is a large one-story structure with a gabled roof. A small one-story gabled addition has been added to the southwest elevation of the main house. A modern wooden deck has been added to the northeast elevation. Southeast of the house is a c. 1920 equipment shed that is clad in horizontal boards with a shed roof covered in standing-seam metal.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. In addition, due to the multiple alterations to this structure including the modern deck, two modern additions, two modern chimneys, modern exterior siding, and modern roofing, this house maintains a very low level of architectural integrity. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5128

**RESOURCE NAME AND ADDRESS:** Dwelling, 855 East Liberty Street

**DATE(S):** c. 1910

**DESCRIPTION:** Built c. 1910, this one-story house features a wooden frame structural system that rests on a foundation that is covered in metal panels. The exterior walls are covered in asphalt siding that has a decorative edge, and the side-gabled roof is covered in pressed tin shingles. The front porch consists of a one-story, one-bay structure with a shed roof supported by square wooden posts. The windows are two-over-two wooden sash. A large concrete block addition that spans the entire length of the house has been appended to the rear elevation, and a small shed-roofed addition has been added to the rear (southeast) elevation of the large addition. A brick chimney is located in the center of the roof, and a concrete block chimney is located in the center of the rear addition.




Figure 11: Architectural Resources in APE for East Terminus Interchange, Shown on the USGS 7.5' Max Meadows, Virginia, Topographic Quadrangle (1965, Photorevised 1985).

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5129

**RESOURCE NAME AND ADDRESS:** Dwelling, 875 East Liberty Street

**DATE(S):** c. 1920

**DESCRIPTION:** Built c. 1920, this one-story Craftsman-style house features a wooden frame structural system that rests on a foundation of common bond brick. The exterior walls are covered in drop siding, and the front-gabled roof is clad in standing-seam metal. Decorative brackets are located under the eaves in the gable ends and decorative wood work is located in each end of the porch. The porch is a one-story structure with a shed roof that has been enclosed. The windows are six-over-one wooden double-hung sash windows and some one-over-one aluminum sash windows. A brick chimney is located in the center of the roof, and a concrete block chimney is located in the center of the rear addition. The rear shed-roofed addition appears to have been constructed in two stages. The portion of the addition that adjoins to the main house is clad in T-111 siding, and the later addition is clad in aluminum siding. Southeast of the house are a shed and pump house. The c. 1970 shed is a metal prefabricated structure with a gabled roof, and the c. 1920 pump house is a concrete block structure with no roof. To the south is a one-story c. 1920 barn that features exterior walls clad in vertical boards, and a gabled roof covered in 5-V crimped metal.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5130

**RESOURCE NAME AND ADDRESS:** Dwelling, 1215 East Main Street

**DATE(S):** c. 1945

**DESCRIPTION:** Built c. 1945, this one-story wooden frame house rests on a solid foundation of cast concrete. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in asphalt shingles. The front-gabled porch is located in the center of the front façade and is supported by square wooden posts. The windows are one-over-one aluminum double-hung sash. A brick chimney is located in the center of the roof. A one-story enclosed porch with a shed roof is located on the rear elevation. This house is on top of a steep slope that overlooks East Main Street.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5131

**RESOURCE NAME AND ADDRESS:** Dwelling, 1225 East Main Street

**DATE(S):** c. 1945

**DESCRIPTION:** Built c. 1945, this one-story wooden frame house rests on a solid foundation of concrete block. The exterior walls are covered in vinyl siding, and the side-gabled roof is clad in 5-V crimped metal. The front-gabled porch is located in the center of the front façade and is supported by square wooden posts. The windows are one-over-one aluminum double-hung sash. A brick chimney is located in the center of the roof. A one-story porch with a shed roof is located on the rear elevation. This house is on top of a steep slope that overlooks East Main Street.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5132

**RESOURCE NAME AND ADDRESS:** Dwelling, 867 East Liberty Street

**DATE(S):** c. 1947

**DESCRIPTION:** Built c. 1947, this two-story wooden frame house rests on a solid foundation of concrete block. The exterior walls are covered in aluminum siding, and the side-gabled roof is clad in asphalt shingles. A gabled wall dormer is located on the front elevation of the roof. The front-gabled porch is located in the center of the front façade and is supported by square wooden posts on brick piers. The windows are one-over-one aluminum double-hung sash. A concrete block chimney is located in the center of the roof. A one-story shed-roofed addition is located on the rear elevation. The yard is enclosed in a wire fence.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5133

**RESOURCE NAME AND ADDRESS:** Dwelling, 869 East Liberty Street

**DATE(S):** c. 1920

**DESCRIPTION:** Built c. 1920, this one-story wooden frame house rests on a solid foundation of concrete block. The exterior walls are covered in weatherboard, and the side-gabled roof is clad in standing-seam metal. The front porch is located in the center of the front façade and features a three-bay shed roof that is supported by square wooden columns. The windows are two-over-two wooden double-hung sash windows. A brick chimney is located in the center of the roof, and a brick chimney is located in the center of the rear addition. A one-story shed-roofed addition, which projects farther than the main house on the southeast elevation, is located on the rear elevation. To the southwest is a c. 1920 shed that is clad in board and batten siding, and has a gabled roof covered in standing-seam metal.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5134

**RESOURCE NAME AND ADDRESS:** Dwelling, 865 East Liberty Street

**DATE(S):** c. 1955

**DESCRIPTION:** Built c. 1955, this one-story wooden frame house rests on a solid foundation of concrete block. The exterior walls are covered in vinyl siding, and the front-gabled roof is clad in asphalt shingles. A brick chimney is located on the south exterior wall. The front porch is located on the north elevation and features a front gable. The front porch has been enclosed. The west elevation has a two-bay shed-roofed porch that is supported by cast metal posts. The windows are one-over-one aluminum sash with decorative shutters. The yard is enclosed in a chain-link fence. To the southwest is a c. 1990 prefabricated shed that is clad in vinyl siding, and has a gabled roof covered in asphalt shingles. Also to the southwest is a c. 1980 lattice structure (storage) that features a gabled roof covered in asphalt shingles. West of the house is a modern c. 1990 metal carport, which is a non-permanent structure.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5135

**RESOURCE NAME AND ADDRESS:** Dwelling, 879 East Liberty Street

**DATE(S):** c. 1930

**DESCRIPTION:** Built c. 1930, this one-story wooden frame house rests on a solid stuccoed foundation. The exterior walls are covered in stucco, and the front-gabled roof is clad in asphalt shingles. The house displays a one-bay front-gabled porch that is supported by tapered wooden posts with a closed railing. A chimney is located in the interior portion of the roof. The windows are three-over-one wooden sash and one-over-one aluminum sash windows. A hipped addition is located on the south elevation of this house. The house features exposed rafter tails. Southeast of the house is a c. 1930 shed that is clad in stucco, and has a gabled roof covered in metal shingles.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5136

**RESOURCE NAME AND ADDRESS:** Hoback House, 895 East Liberty Street

**DATE(S):** c. 1918

**DESCRIPTION:** Built c. 1918, this two-story wooden frame house rests on a solid foundation of concrete block. The exterior walls are clad in vinyl siding, and the gabled roof is covered in asphalt shingles. The front of the house is on the east elevation, facing

East Main Street from atop of a steep slope. A front-facing gable is located on the east elevation. The front porch wraps around the east elevation and a portion of the north elevation. The porch is supported by tapered wooden columns. Fenestration consists of one-over-one aluminum sash windows with decorative shutters. A corbelled brick chimney is located in the center of the roof. The west elevation features a shed-roofed addition that contains the kitchen.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5137

**RESOURCE NAME AND ADDRESS:** Dwelling, 920 East Lexington Street

**DATE(S):** c. 1930

**DESCRIPTION:** Built c. 1930, this one-story wooden frame house rests on a solid stuccoed foundation. The exterior walls are covered in asbestos siding, and the gabled roof is clad in asphalt shingles. The roof has been altered with the construction of a hipped addition in the center of the main roof. There has also been a one-story gabled ell added to the rear of the house. A brick chimney is located on the rear exterior wall of the house. Exterior ornamentation includes exposed roof joists and decorative details in the ends of the porch roof. The house features a three-bay, one-story porch with a shed roof supported by cast metal posts. The windows are one-over-one aluminum sash with aluminum awnings. A metal carport that is supported by metal poles has been added to the end of the rear addition.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5138

**RESOURCE NAME AND ADDRESS:** Dwelling, 1010 East Marshall Street

**DATE(S):** c. 1930

**DESCRIPTION:** Built c. 1930, this one-story wooden frame house rests on a foundation covered in metal panels. The exterior walls are covered in vinyl siding, and the hipped roof is clad in 5-V crimped metal. The porch is located on the south elevation and features a shed roof that is three bays wide and supported by square wooden columns. The windows are two-over-two wooden double-hung sash with decorative shutters. A brick chimney is located in the center of the roof, and a second brick chimney is located in the center of the rear addition. A large shed-roofed addition that spans the entire length of the elevation is located on the rear of the house. A small shed-roofed porch is located on the rear of the addition. North of the house is a c. 1980 prefabricated shed that is clad in T-111 siding, and has a gambrel roof covered in asphalt shingles. The house was reportedly a grocery store in the 1940s, according to the current homeowner.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation’s history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 139-5139

**RESOURCE NAME AND ADDRESS:** Quonset Hut, 1020 East Marshall Street

**DATE(S):** c. 1955

**DESCRIPTION:** Built c. 1955, this Quonset Hut is entirely clad in corrugated metal and features a bay with a hanging door at each end. A concrete block chimney is located in the interior portion of the building. A shed-roofed addition has been appended to the north elevation of this building.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This resource has no apparent association with any event or person important in our nation’s history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**East Terminus Interchange**

**East Terminus Interchange Previously Recorded Resources.** There are six previously recorded architectural resources within the APE for the East Terminus Interchange, as shown in Table 5 and Figure 11. Locust Hill (VDHR #098-5129) is considered potentially eligible for the NRHP, but has not been surveyed at the intensive level to determine whether the resource qualifies for listing in the NRHP. Locust Hill was recommended as potentially eligible for the NRHP by VDHR following CCR’s survey of the existing alignment of the Tier 2 I-81/I-77 overlap in 2008 (Lautzenheiser et al. 2008). The previously recorded resource, Grahams Forge (VDHR #098-0052), is listed on the NRHP. The other previously recorded resources have been determined not eligible for the NRHP by VDHR.

Table 5: Summary of Previously Recorded Architectural Resources in APE for East Terminus Interchange.

<b>Inventory Number</b>	<b>Name, Address</b>	<b>Date</b>	<b>NRHP Eligibility</b>
098-0052	Grahams Forge	c. 1890	NRHP Listed
098-5125	Dwelling, 200 Coleman Road	c. 1955	Not Eligible
098-5126	Dwelling, 164 Coleman Road	c. 1945	Not Eligible
098-5127	Dwelling, 4746 East Lee Highway	c. 1960	Not Eligible
098-5128	Hopkins House, 4712 East Lee Highway	c. 1950	Not Eligible
098-5129	Locust Hill, 4373 East Lee Highway	c. 1784	Potentially Eligible

**East Terminus Interchange Newly Recorded Resources.** There are five newly recorded architectural resources within the APE for the East Terminus Interchange, as shown in Table 6 and Figure 11. All of the eight newly recorded resources in the APE for the East Terminus Interchange represent common architectural types, with alterations

or additions to their original designs frequently compromising their integrity. Therefore the resources (VDHR # 098-5150 through 098-5154) are recommended as not eligible for the NRHP.

Table 6: Summary of Newly Recorded Architectural Resources in APE for East Terminus Interchange.

<b>Inventory Number</b>	<b>Name, Address</b>	<b>Date</b>	<b>Recommended NRHP Eligibility</b>
098-5150	Graham's Forge United Methodist Church, 738 Major Graham's Road (Rt. 619)	c. 1901	Not Eligible
098-5151	Dwelling, 746 Major Graham's Road (Rt. 619)	c. 1900	Not Eligible
098-5152	Dwelling, 330 Major Graham's Road (Rt. 619)	c. 1958	Not Eligible
098-5153*	Robert Keesling House, 149 E. Lee Highway	c. 1860	Not Eligible
098-5154*	Carter Wayside, 155 Carter's Park Lane	c. 1945	Not Eligible
098-5154-0001*	Carter Park Building, Carter's Park Lane	c. 1945	Not Eligible
098-5154-0002*	Carter Park Bridge #6290, Carter's Park Lane	c. 1945	Not Eligible
098-5154-0003*	Carter Park Bridge #6291, Carter's Park Lane	c. 1945	Not Eligible
098-5154-0004*	Carter Park Bridge #6292, Carter's Park Lane	c. 1945	Not Eligible

\*See CBA 7 Resource Descriptions

**VDHR INVENTORY NUMBER:** 098-5150

**RESOURCE NAME AND ADDRESS:** Graham's Forge United Methodist Church, 738 Major Graham's Road (Rt. 619)

**DATE(S):** c. 1901

**DESCRIPTION:** This one-story wooden frame building rests on a foundation of limestone. The exterior walls have been covered in vinyl siding, and the gabled roof is clad in asphalt shingles. Three gabled additions have been appended to the east elevation, and one large gabled addition has been added to the south elevation. The gabled addition that is farthest north contains the main entry and supports the steeple. A shed addition projects from the east elevation as well. The new additions rest on concrete block foundations. A brick chimney is located in the central interior portion of the roof. The original windows have been replaced with fixed windows, and a majority of the windows are fixed with multiple lights that form a point. The windows on the south elevation are vinyl sash windows. West of the church is a c. 1990 prefabricated shed that is clad in vinyl siding and has a gambrel roof covered in asphalt shingles. Also to the west of the church is a c. 1990 picnic shelter that is a freestanding wooden deck that has a gabled roof covered in asphalt shingles.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This church exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. In addition, this church has been significantly altered with the addition of vinyl siding, construction of multiple additions, addition of new roofing materials, and the replacement of the original windows. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 098-5151

**RESOURCE NAME AND ADDRESS:** Dwelling, 746 Major Graham's Road (Rt. 619)

**DATE(S):** c. 1900

**DESCRIPTION:** Built c. 1900, this two-story wooden frame I-House rests on a foundation of coursed limestone. The exterior walls are covered in weatherboard, and the gabled roof is clad in standing-seam metal. The front façade is three-bays in width and displays a one-bay porch that has a hipped roof supported by turned wooden posts. A brick chimney is located in the center of the main roof, a second brick chimney is located on the south exterior end of the house, and a third brick chimney is located in the center of the rear two-story ell. Fenestration consists of one-over-one aluminum and two-over-two wooden double-hung sash windows with wooden surrounds. The rear two-story ell features a one-story "L" shaped porch situated between the main house and the rear ell. West of the house is a one-story c. 1900 shed that is clad in vertical boards and has a gabled roof covered in metal shingles. There are two doors on the east elevation of the shed. Reed Creek is to the west of the house.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This dwelling exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation's history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**VDHR INVENTORY NUMBER:** 098-5152

**RESOURCE NAME AND ADDRESS:** Dwelling, 330 Major Graham's Road (Rt. 619)

**DATE(S):** c. 1958

**DESCRIPTION:** Built c. 1958, this one-story Ranch-style house rests on a foundation of concrete block. The exterior walls are covered in brick, and the gabled roof is clad in asphalt shingles. The one-bay front porch is one bay in width, has no cover, and displays a cast metal hand railing. A brick chimney is located in the center of the roof. The windows are two-over-two wooden horizontal sash windows, and there is one picture window. The basement level is exposed on the rear (east) elevation, and a concrete flue is located on the rear wall of the house. A wooden deck has been added to the north elevation of the house. East of the house are a one-bay garage and a shed. The one-story c. 1980 garage displays exterior walls that are covered in T-111 siding, and a gabled roof clad in asphalt shingles. The c. 1980 shed is clad in T-111 siding and has a gabled roof covered in asphalt shingles.

**RECOMMENDATIONS FOR NRHP ELIGIBILITY:** This dwelling exhibits a design common for the period. This resource has no apparent association with any event or person important in our nation’s history, lacks architectural significance, and does not appear to have the ability to yield important information. This resource is recommended as not eligible for the NRHP under Criteria A, B, C, or D.

**Existing I-77/I-81 Junction**

**Existing I-77/I-81 Junction Previously Recorded Resources.** There are six previously recorded architectural resources within the APE for the Existing I-77/I-81 Junction, as shown in Table 7 and Figure 12. The Reed Creek Bridge #1002 (VDHR #098-0191) has been demolished since it was last visited. The previously recorded resource, the Keesling Log House (VDHR #098-5051), is considered potentially eligible for the NRHP, but has not been surveyed at the intensive level to determine whether the resource qualifies for listing in the NRHP. The Keesling Log House was recommended as potentially eligible for the NRHP by CCR after the survey of the existing alignment of the Tier 2 I-81/I-77 overlap was conducted in 2008 (Lautzenheiser et al. 2008). Three of the resources are listed on the NRHP. These resources are Fort Chiswell Manor (VDHR #098-0005), McGavock Cemetery (VDHR #098-0022), and Fort Chiswell Site (VDHR #098-0026). The other previously recorded resource, the Wilderness Road Marker (VDHR #098-5045), has been determined not eligible for the NRHP by VDHR.

Table 7: Summary of Previously Recorded Architectural Resources in APE for Existing I-77/I-81 Junction.

<b>Inventory Number</b>	<b>Name, Address</b>	<b>Date</b>	<b>NRHP Eligibility</b>
098-0005	Fort Chiswell Manor	1839	NRHP Listed
098-0022	McGavock Cemetery	1812	NRHP Listed
098-0026	Fort Chiswell Site	1752	NRHP Listed
098-0191	Reed Creek Bridge #1002	1931	Demolished
098-5045	Wilderness Road Marker	c. 1920	Not Eligible
098-5051	Keesling Log House, South Side of East Lee Highway	c. 1790	Potentially Eligible

**Existing I-77/I-81 Junction Newly Recorded Resources.** There are two newly recorded architectural resources within the APE for the Existing I-77/I-81 Junction, as shown in Table 8 and Figure 12. The Keesling Cemetery contains no graves of important persons, is not of great age, contains no special design elements, and is not associated with significant events. Therefore, it is recommended as not eligible for the NRHP. However, Sanders Farm (VDHR #098-5168) is recommended as potentially eligible for the NRHP under Criterion C.




Figure 12: Architectural Resources in APE for Existing I-77/I-81 Junction, Shown on the USGS 7.5' Max Meadows, Virginia, Topographic Quadrangle (1965, Photorevised 1985).

Table 8: Summary of Newly Recorded Architectural Resources in APE for Existing I-77/I-81 Junction.

<b>Inventory Number</b>	<b>Name, Address</b>	<b>Date</b>	<b>Recommended NRHP Eligibility</b>
098-5158*	Keesling Cemetery, East Side of Keesling School Road	1818	Not Eligible
098-5168	Sanders Farm, 414 Meadowbrook Lane	c. 1903	Recommended Potentially Eligible

\*See CBA 7 Resource Descriptions

**VDHR INVENTORY NUMBER:** 098-5168

**RESOURCE NAME AND ADDRESS:** Sanders Farm, 414 Meadowbrook Lane

**DATE(S):** c. 1905

**DESCRIPTION:** Built c. 1905, this two-story Dutch Colonial Revival-style, a sub-type of the Colonial Revival style, house (Figure 13) rests on a solid foundation of rusticated stone blocks. This is a nice example of a Dutch Colonial Revival-style dwelling featuring a side-gambrel roof with flared eaves. The roof is covered in asphalt shingles, and the exterior walls have been clad in aluminum siding. The symmetrical front elevation is three bays wide and features a large porch with a front-gabled roof that has an exaggerated pediment supported by fluted Doric Columns. The front door features an Adamesque-style door surround with transom and sidelights. A large bay window is located on each side of the front porch. The front façade of the roof displays a polygonal dormer with two windows (six-over-one wooden double-hung sash) that is flanked to each side by a gabled dormer with an exaggerated pediment and two six-over-one windows. A corbelled brick chimney is located in the center of the roof, and a second corbelled brick chimney is located on the west interior end of the roof. Two round windows are in the west gambrel end. Other windows on the house are nine-over-one and three-over-one wooden double-hung sash, some with decorative shutters. The rear portion of the west elevation features a rounded bay window with pent roof. The rear of the house displays a two-story hipped addition with a front-facing gable in the roof that has an oval window. The use of varying window styles is seen in Colonial Revival style homes as influenced from the preceding Shingle style of architecture. A one-story gabled addition has been appended to the south elevation of the rear of the house, and next to it is a one-story hipped roof porch that has been enclosed with windows. Appended to the east of the house is a two-bay carport that is open to the south and has a hipped roof. The carport is enclosed to the north with six-over-one windows.

To the south of the house is a twentieth century shed (A) clad in board and batten siding, and has a gabled roof covered in standing-seam-metal. Directly to the east of the house is a c. 1850 two-story log smoke house that rests on a limestone foundation. The smoke house features an extended roofline over the entrance on the west elevation. North of the smoke house is a c. 1950 shed (B) constructed of concrete block with a gabled roof covered in standing-seam metal. East of the smoke house is a c. 1850 secondary dwelling (Figure 14) that is one-story in height, but due to the slope terrain features a lower level on the east end of the building. The building displays a stuccoed



Figure 13: Sanders Farm House (VDHR #098-5168).



Figure 14: Secondary Dwelling and Smoke House on Sanders Farm (VDHR #098-5168).

chimney on the west exterior end wall, and a second chimney on the east interior end. The entrance features a recessed door that demonstrates the thickness of the walls. A two-story shed addition has been appended to the rear of the building, and a set of double doors is located on the ground level of the east elevation. The windows are six-over-six wooden double-hung sash. A brick saw-tooth cornice is located beneath the eaves. North of the secondary dwelling is a c. 1905 dairy house constructed of brick and rests on a limestone foundation. There is weatherboard in the gable ends and the gabled roof is covered in standing-seam metal. To the east is a compound of three outbuildings connected together. The northern most building is a c. 1950 equipment shed constructed of concrete block and features a shed roof covered in standing-seam metal. The next structure is a long section of the barn covered in vertical boards, and has a gabled roof covered in standing-seam metal. There are various bays on the west elevation of the central part of the building. The last section of the structure is a three-story barn that dates to the early twentieth century and is clad in weatherboard with a gambrel roof covered in corrugated metal. A large open shed-roofed addition has been appended to the south elevation of the barn and the southern most part of the barn addition contains a wooden corncrib. The farm is situated on rolling fields that overlook the Fort Chiswell Manor property (VDHR #098-0005).

***RECOMMENDATIONS FOR NRHP ELIGIBILITY:*** This house is a good example of a Dutch Colonial Revival-style house. The exterior of the house maintains its original form and appearance. The property was owned by the Friels and Montgomerys from an unknown date until 1832, when it was purchased by Charles Campbell Tate; the land was passed to the Tate heirs, and then was purchased by E. H. Sanders in 1905 (Hager 1937). E. H. Sanders was responsible for the construction of the house that currently is located on the property.

There is a collection of outbuildings on the property that date from the mid-nineteenth-century through the mid-twentieth century. Two of the outbuildings are nice examples of antebellum domestic outbuildings, including the large two-story smokehouse and the secondary dwelling that displays its original saw-tooth cornice. The secondary dwelling may have been a primary dwelling at one time, though further research is necessary. The dairy house was constructed around the same period as the existing house and the barn/equipment shed building dates to the mid-twentieth century.

The Sanders Farm is recommended for evaluation as potentially eligible for listing in the NRHP under Criterion C as a good example of a Dutch Colonial Revival that retains a high level of architectural integrity. The farm does not appear to be eligible for the NRHP under Criteria A or B. And since an archaeological survey has not been conducted at the property, no recommendations are made for Criterion D.

## **Summary**

CCR conducted an architectural resource survey for the I-81 Corridor Improvement Study of the Tier 2, I-77/I-81 Overlap of CBA 7 and Expanded Interchanges in Wythe County and the Town of Wytheville, Virginia. The purpose of the survey was to identify and record resources that will be 50 years old or older by January

1, 2010 and assess their potential for NRHP eligibility. The APE for architecture included the proposed CBA 7 and Expanded Interchanges.

There are 78 previously recorded resources located within the APE that were revisited and reviewed. Seven of the previously recorded resources have been listed on the NRHP or have been determined eligible for the NRHP by VDHR. Fort Chiswell Manor (VDHR #098-0005), McGavock Cemetery (VDHR #098-0022), Fort Chiswell Site (VDHR #098-0026), Grahams Forge (VDHR #098-0052), Oak Level (VDHR #139-0015), and the Wytheville Historic District (VDHR #139-0022) have already been listed on the NRHP. Ingleside (VDHR # 139-0022) has been determined eligible for the NRHP. Three resources that were recorded during the survey of the existing alignment of the Tier 2 I-81/I-77 overlap that was conducted in 2008 (Lautzenheiser et al. 2008) are considered potentially eligible for the NRHP, but have not been surveyed to this date at the intensive level to determine whether the resources qualify for listing in the NRHP. Five of the previously recorded resources have been demolished, Reed Creek Bridge (VDHR #098-0026), Reed Creek Bridge #1002 (VDHR #098-0191), Wytheville Catholic Church (VDHR #139-0013), Lacy House (VDHR #139-0017), and Springhouse of the Former Johnson House (VDHR #139-5031).

CCR researchers recorded 79 newly identified architectural resources in the APE during the current survey. The Sanders Farm (VDHR #098-5168) is recommended as potentially eligible for the NRHP under Criterion C for Architecture. The other 78 resources in the APE (VDHR #s 098-5150 through 098-5154, 098-5158 through 098-5167, and 139-5077 through 139-5139) are recommended as not eligible for the NRHP.

Table 9: Summary of Architectural Resources in APE for CBA 7 and Expanded Interchanges.

<b>Inventory Number</b>	<b>Name, Address</b>	<b>Date</b>	<b>NRHP Eligibility</b>	<b>CBA or Expanded Interchange</b>
098-0005	Fort Chiswell Manor	1839	NRHP Listed	Existing Junction
098-0022	McGavock Cemetery	1812	NRHP Listed	Existing Junction
098-0026	Fort Chiswell Site	1752	NRHP Listed	CBA7/Existing Junction
098-0052	Grahams Forge	c. 1890	NRHP Listed	East
098-0056	Reed Creek Bridge	1930	Demolished	CBA7
098-0191	Reed Creek Bridge #1002	1931	Demolished	CBA7/Existing Junction
098-5045	Wilderness Road Marker	c. 1920	Not Eligible	Existing Junction
098-5049	Grandview Farm, 255A Steer Drive	c. 1900	Not Eligible	CBA7
098-5050	Tenant House, Grandview Farm, 255 Steer Drive	c. 1920	Not Eligible	CBA7
098-5051	Keesling Log House, South Side of East Lee Highway	c. 1790	Potentially Eligible	CBA7/Existing Junction
098-5052	Mullins House, 305 Country Lane	c. 1920	Not Eligible	West
098-5053	Dwelling, 295 Country Lane	c. 1940	Not Eligible	West
098-5054	Dwelling, 265 Country Lane	c. 1935	Not Eligible	West
098-5055	Dwelling, 255 Country Lane	c. 1935	Not Eligible	West

098-5056	Dwelling, 245 Country Lane	c. 1935	Not Eligible	West
098-5057	Hurt House, 205 Country Lane	c. 1935	Not Eligible	West
098-5058	Dwelling, 155 Country Lane	c. 1935	Not Eligible	West
098-5059	Dwelling, 1345 Pepper's Ferry Road	c. 1950	Not Eligible	West
098-5060	Crenshaw House, 1585 Granite Acres Drive	1920	Recommended Not Eligible	West
098-5064	Single Dwelling, 2025 Chapman Road	c. 1935	Not Eligible	CBA7
098-5106	Dwelling, 100 Granite Acres Road	c. 1960	Not Eligible	West
098-5107	Oakwood Memorial Gardens, West Side of Pepper's Ferry Road	c. 1883	Not Eligible	West
098-5108	Dwelling, 290 Cove Road	c. 1900	Not Eligible	West
098-5125	Dwelling, 200 Coleman Road	c. 1955	Not Eligible	East
098-5126	Dwelling, 164 Coleman Road	c. 1945	Not Eligible	East
098-5127	Dwelling, 4746 East Lee Highway	c. 1960	Not Eligible	East
098-5128	Hopkins House, 4712 East Lee Highway	c. 1950	Not Eligible	East
098-5129	Locust Hill, 4373 East Lee Highway	c. 1784	Potentially Eligible	CBA7/East
098-5150	Graham's Forge United Methodist Church, 738 Major Graham's Road (Rt. 619)	c. 1901	Recommended Not Eligible	East
098-5151	House, 746 Major Graham's Road (Rt. 619)	c. 1900	Recommended Not Eligible	East
098-5152	House, 330 Major Graham's Road (Rt. 619)	c. 1958	Recommended Not Eligible	East
098-5153	Robert Keesling House, 149 E. Lee Highway	c. 1860	Recommended Not Eligible	CBA7/East
098-5154	Carter Wayside, 155 Carter's Park Lane	c. 1945	Recommended Not Eligible	CBA 7/East
098-5154-0001	Carter Park Building, Carter's Park Lane	c. 1945	Recommended Not Eligible	CBA7/East
098-5154-0002	Carter Park Bridge #6290, Carter's Park Lane	c. 1945	Recommended Not Eligible	CBA7/East
098-5154-0003	Carter Park Bridge #6291, Carter's Park Lane	c. 1945	Recommended Not Eligible	CBA7/East
098-5154-0004	Carter Park Bridge #6292, Carter's Park Lane	c. 1945	Recommended Not Eligible	CBA7/East
098-5158	Keesling Cemetery, East Side of Keesling School Road	1818	Recommended Not Eligible	CBA7/Existing Junction
098-5159	Davis House, 2866 E. Lee Highway	c. 1915	Recommended Not Eligible	CBA7
098-5160	Armentrout House, 733 Max Meadows Road (Rt. 121)	c. 1910	Recommended Not Eligible	CBA7
098-5161	Jackson House, 785 Max Meadows Road (Rt. 121)	c. 1945	Recommended Not Eligible	CBA7
098-5162	House, 855 Max Meadow Road (Rt. 121)	c. 1945	Recommended Not Eligible	CBA7

098-5163	Outbuildings, 261 Kents Lane (Rt. 704)	c. 1920	Recommended Not Eligible	CBA7
098-5164	Railroad Bridge, Near Kents Lane (Rt. 704)	c. 1945	Recommended Not Eligible	CBA7
098-5165	House, 1055 Lovers Lane (Rt. 647)	c. 1890	Recommended Not Eligible	West
098-5166	House, 1075 Lovers Lane (Rt. 647)	c. 1945	Recommended Not Eligible	West
098-5167	House Ruins, 1005 Lovers Lane (Rt. 647)	c. 1940	Recommended Not Eligible	West
098-5168	Sanders Farm, 414 Meadowbrook Lane	c. 1903	Recommended Potentially Eligible	Existing Junction
139-0013	Wytheville Catholic Church		Demolished	West
139-0015	Oak Level	1852	NRHP Listed	West
139-0017	Lacy House	pre- 1857	Demolished	West
139-0022	Ingleside	1874	Eligible	West
139-0029	Wytheville Historic District	Post- 1830	NRHP Listed	West
139-0044	Dwelling, 525 Cassell Road	c. 1940	Not Eligible	West
139-5031	Springhouse Associated with Former Johnson House	ca. 1850	Demolished	West
139-5032	Ivan Umberger House, 330 Dogwood Drive	c. 1950	Not Eligible	West
139-5033	Dwelling, 270 Dogwood Drive	c. 1950	Not Eligible	West
139-5034	Dwelling, 260 Dogwood Drive	c. 1950	Not Eligible	West
139-5035	Dwelling, 603 Cove Road	c. 1930	Not Eligible	West
139-5036	Dwelling, 480 Cove Road	c. 1920	Not Eligible	West
139-5037	Wytheville Knitting Mill, 555 Pepper's Ferry Road	c. 1939	Potentially Eligible	West
139-5038	John H. Crockett Farm, 1500 Pepper's Ferry Road	c. 1948	Not Eligible	West
139-5040	Dwelling, 645 Cassell Road	c. 1945	Not Eligible	CBA7/West
139-5041	Dwelling, East Side of Cassell Road	c. 1940	Not Eligible	CBA7/West
139-5042	Dwelling, 605 Cassell Road	c. 1940	Not Eligible	CBA7/West
139-5043	Dwelling, 570 Cassell Road	c. 1940	Not Eligible	CBA7/West
139-5044	Dwelling, 525 Cassell Road	c. 1940	Not Eligible	CBA7/West
139-5045	Testerman House, 505 Cassell Road	c. 1900	Not Eligible	CBA7/West
139-5046	Dwelling, 495 Cassell Road	c. 1935	Not Eligible	CBA7/West
139-5047	Dwelling, 470 Cassell Road	c. 1940	Not Eligible	CBA7/West
139-5048	Dwelling, 455 Cassell Road	c. 1950	Not Eligible	CBA7/West
139-5049	Dwelling, 450 Cassell Road	c. 1940	Not Eligible	CBA7/West
139-5050	Lakie Kitts House, 445 Cassell Road	c. 1945	Not Eligible	CBA7/West
139-5051	Dwelling, 440 Cassell Road	c. 1950	Not Eligible	CBA7/West
139-5052	Harmon House, 425 Cassell Road	c. 1950	Not Eligible	CBA7/West
139-5054	Dwelling, 520 Chapman Road	c. 1920	Not Eligible	West
139-5055	Dwelling, Chapman Road	c. 1960	Not Eligible	West

139-5056	Kim Suthers House, Intersection of Chapman Road and Malin Drive	c. 1945	Not Eligible	West
139-5057	Dwelling, 745 Chapman Road	c. 1925	Not Eligible	West
139-5058	Dwelling, 735 Chapman Road	c. 1930	Not Eligible	West
139-5059	Dwelling, 685 Chapman Road	c. 1948	Not Eligible	West
139-5060	Dwelling, 645 Chapman Road	c. 1948	Not Eligible	West
139-5061	E. T. Motors, North Side of Chapman Road	c. 1950	Not Eligible	West
139-5062	Dwelling, North Side of Chapman Road	c. 1910	Not Eligible	West
139-5063	John Allen Toll House, 1980 Chapman Road	c. 1850	Not Eligible	CBA7
139-5064	Dwelling, 210 Dogwood Drive	c. 1955	Not Eligible	West
139-5065	Dwelling, 115 Dogwood Drive	c. 1960	Not Eligible	West
139-5066	Dwelling, 650 Cove Road	c. 1960	Not Eligible	West
139-5067	Dwelling, 140 Dogwood Drive	c. 1960	Not Eligible	West
139-5068	Dwelling, 170 Dogwood Drive	c. 1960	Not Eligible	West
139-5069	Dwelling, 190 Dogwood Drive	c. 1958	Not Eligible	West
139-5070	Dwelling, 255 Dogwood Drive	c. 1960	Not Eligible	West
139-5071	Dwelling, 225 Dogwood Drive	c. 1960	Not Eligible	West
139-5072	Dwelling, 215 Dogwood Drive	c. 1960	Not Eligible	West
139-5073	Dwelling, 185 Dogwood Drive	c. 1960	Not Eligible	West
139-5074	Dwelling, 165 Dogwood Drive	c. 1960	Not Eligible	West
139-5075	Dwelling, 390 Cove Road	c. 1950	Not Eligible	West
139-5076	Dwelling, East Side of Cove Road	c. 1890	Not Eligible	West
139-5077	House, 715 Lovers Lane (Rt. 647)	c. 1950	Recommended Not Eligible	CBA7/West
139-5078	House, 555 Lovers Lane (Rt. 647)	c. 1925	Recommended Not Eligible	CBA7/West
139-5079	Carty House, 495 Lovers Lane (Rt. 647)	c. 1950	Recommended Not Eligible	CBA7/West
139-5080	Carty House, 425 Lovers Lane (Rt. 647)	c. 1950	Recommended Not Eligible	CBA7/West
139-5081	House, 150 Lovers Lane (Rt. 647)	c. 1930	Recommended Not Eligible	CBA7/West
139-5082	Reardon House, 235 Walnut Road	c. 1910	Recommended Not Eligible	West
139-5083	House, 225 Locust Lane	c. 1935	Recommended Not Eligible	West
139-5084	House, 300 Locust Lane	c. 1945	Recommended Not Eligible	West
139-5085	Cemetery, 605 Chapman Road	c. 1905	Recommended Not Eligible	West
139-5086	House, 390 Cassell Road	c. 1920	Recommended Not Eligible	West
139-5087	House, 380 Cassell Road	c. 1955	Recommended Not Eligible	West

139-5088	House, 120 Faye Street	c. 1950	Recommended Not Eligible	West
139-5089	House, 130 Faye Street	c. 1950	Recommended Not Eligible	West
139-5090	Pugh House, 170 Faye Street	c. 1935	Recommended Not Eligible	West
139-5091	House, 155 Faye Street	c. 1945	Recommended Not Eligible	West
139-5092	House, 145 Faye Street	c. 1955	Recommended Not Eligible	West
139-5093	House, 135 Faye Street	c. 1945	Recommended Not Eligible	West
139-5094	House, 125 Faye Street	c. 1950	Recommended Not Eligible	West
139-5095	House, 130 Spring Court Drive	c. 1945	Recommended Not Eligible	West
139-5096	House, 160 Spring Court Drive	c. 1945	Recommended Not Eligible	West
139-5097	House, 200 Cove Road	c. 1900	Recommended Not Eligible	West
139-5098	House, 240 Cove Road	c. 1910	Recommended Not Eligible	West
139-5099	House, 315 Cove Road	c. 1890	Recommended Not Eligible	West
139-5100	House, 235 Cove Road	c. 1930	Recommended Not Eligible	West
139-5101	Grubb House, 420 Peppers Ferry Road	c. 1935	Recommended Not Eligible	West
139-5102	House, 380 Peppers Ferry Road	c. 1930	Recommended Not Eligible	West
139-5103	House, 705 E. Main Street	c. 1920	Recommended Not Eligible	West
139-5104	Commercial, 805 E. Main Street	c. 1950	Recommended Not Eligible	West
139-5105	Commercial, 835 E. Main Street	c. 1955	Recommended Not Eligible	West
139-5106	Commercial, 865 E. Main Street	c. 1955	Recommended Not Eligible	West
139-5107	Bob Huff GM Car Dealer, 925 E. Main Street	c. 1942	Recommended Not Eligible	West
139-5108	Smokey's Bar-B-Que Restaurant, 205 E. Main Street	c. 1940	Recommended Not Eligible	West
139-5109	Bob Huff Ford Car Dealer, 1135 E. Main Street	c. 1946	Recommended Not Eligible	West
139-5110	Goodyear Tires, 1070 E. Main Street	c. 1950	Recommended Not Eligible	West

139-5111	House, 945 Withers Road	c. 1940	Recommended Not Eligible	West
139-5112	House, 925 Withers Road	c. 1950	Recommended Not Eligible	West
139-5113	House, 905 Withers Road	c. 1900	Recommended Not Eligible	West
139-5114	House, 895 Withers Road	c. 1940	Recommended Not Eligible	West
139-5115	House, 885 Withers Road	c. 1955	Recommended Not Eligible	West
139-5116	House, 865 Withers Road	c. 1930	Recommended Not Eligible	West
139-5117	House, 855 Withers Road	c. 1900	Recommended Not Eligible	West
139-5118	House, 845 Withers Road	c. 1920	Recommended Not Eligible	West
139-5119	House, 835 Withers Road	c. 1945	Recommended Not Eligible	West
139-5120	House, 170 Lahue Drive	c. 1940	Recommended Not Eligible	West
139-5121	House, 175 Lahue Drive	c. 1940	Recommended Not Eligible	West
139-5122	House, 195 Lahue Drive	c. 1940	Recommended Not Eligible	West
139-5123	House, 190 Lahue Drive	c. 1935	Recommended Not Eligible	West
139-5124	House, 785 E. Liberty Street	c. 1920	Recommended Not Eligible	West
139-5125	House, 770 E. Liberty Street	c. 1935	Recommended Not Eligible	West
139-5126	House, 810 E. Liberty Street	c. 1945	Recommended Not Eligible	West
139-5127	House, 825 E. Liberty Street	c. 1870	Recommended Not Eligible	West
139-5128	House, 855 E. Liberty Street	c. 1910	Recommended Not Eligible	West
139-5129	House, 875 E. Liberty Street	c. 1920	Recommended Not Eligible	West
139-5130	House, 1215 E. Main Street	c. 1945	Recommended Not Eligible	West
139-5131	House, 1225 E. Main Street	c. 1945	Recommended Not Eligible	West
139-5132	House, 867 E. Liberty Street	c. 1947	Recommended Not Eligible	West
139-5133	House, 869 E. Liberty Street	c. 1920	Recommended Not Eligible	West

139-5134	House, 865 E. Liberty Street	c. 1955	Recommended Not Eligible	West
139-5135	House, 879 E. Liberty Street	c. 1930	Recommended Not Eligible	West
139-5136	Hoback House, 895 E. Liberty Street	c. 1918	Recommended Not Eligible	West
139-5137	House, 920 E. Lexington Street	c. 1930	Recommended Not Eligible	West
139-5138	House, 1010 E. Marshall Street	c. 1930	Recommended Not Eligible	West
139-5139	Quonset Hut, 1020 E. Marshall Street	c. 1955	Recommended Not Eligible	West

## REFERENCES CITED

Federal Register

1981 36 CFR 60, National Register of Historic Places. Washington, D.C.

Hager, Eldridge H.

1937 *Survey Report, E. H. Sanders Home (Site)*. Electronic document, <http://lvaimage.lib.va.us/VHI/html/29/0316.html>, accessed June 8, 2009.

Lautzenheiser, Loretta, Maral Kalbian, Bill Hall, and Ellen Brady

2001 *Cultural Resources Overview Proposed Improvements I-77/I-81 Wythe County, Virginia*. Ms. on file, Coastal Carolina Research, Tarboro, North Carolina.

Lautzenheiser, Loretta, Jennifer Stewart, and Bill Hall

2008 *Cultural Resources Overview Proposed Improvements Existing Alignment I-77/I-81 Wythe County, Virginia*. Ms. on file, Coastal Carolina Research, Tarboro, North Carolina.

McAlester, Virginia, and Lee McAlester

1998 *A Field Guide to American Houses*. Alfred A. Knopf, Inc, New York, New York.

VDHR (Virginia Department of Historic Resources)

2001 *Guidelines for Conducting Cultural Resource Survey in Virginia*. Issued 1999, Revised 2001. Virginia Department of Historic Resources, Richmond.

Wayland, John W.

1999 *Virginia Valley Records: Genealogical and Historical Materials of Rockingham County, Virginia and Related Regions*. Genealogical Publishing Company, Baltimore, Maryland.