

**VDOT 2016 Road and Bridge Standards**  
**Section 500 - Guardrail, Fences, and Markers**

Standard	Page	Title	NOTES
GR-HDW	501.01	Standard Guardrail Hardware	
	501.02	Standard Guardrail Hardware W-Beam Guardrail Hardware	
	501.03	Standard Guardrail Hardware Thrie Beam Guardrail Hardware	
GR-2, 2A	501.04	Standard Blocked-Out W Beam Guardrail (Strong Post System)	
	501.05	Standard Blocked-Out W Beam Guardrail (Strong Post System, Post and Blockout Details)	
GR-3	501.06	Cable Guardrail	
	501.07	Cable Guardrail	
	501.08	Cable Guardrail	
GR-6	501.09	Terminal Treatment for W Beam Guardrail	
	501.10	Terminal Treatment for W Beam Guardrail	
GR-7	501.11	Flared End Terminal - 4' Flare	
	501.12	Flared End Terminal - 4' Flare	
	501.13	Guardrail Terminal Installation Site Preparation Requirements for GR-7	
GR-8, 8A, 8B, 8C	501.14	Standard W Beam Guardrail (Weak Post System)	
	501.15	Standard W Beam Guardrail (Weak Post System)	
GR-9	501.16	Tangent Terminal - No Flare	
	501.17	Guardrail Terminal Installation Site Preparation Requirements for GR-9	

**VDOT 2016 Road and Bridge Standards**  
**Section 500 - Guardrail, Fences, and Markers**

Standard	Page	Title	NOTES
GR-10	501.18	Guardrail at Low-Fill Culvert	
	501.19	Guardrail at Low-Fill Culvert	
GR-11	501.20	Trailing End Terminal Treatment	
BGR-01	501.22	Standard Box Culvert Guardrail (Texas T-6)	
	501.23	Standard Box Culvert Guardrail (Texas T-6)	STANDARD REVISED APRIL 2020, FOR PREVIOUS VERSION OF STANDARD FOLLOW THIS <a href="#">LINK</a>
	501.24	Standard Box Culvert Guardrail (Texas T-6)	
GR-FOA-1	501.25	W Beam Guardrail-Fixed Object Attachment For Use With Vertical Fixed Objects and Guardrail (Wood Post)	
	501.26	W Beam Guardrail-Fixed Object Attachment For Use With Vertical Fixed Objects and Guardrail (Steel Post)	
	501.27	W Beam Guardrail-Fixed Object Attachment Rubrail and Hardware Details	
GR-FOA-2	501.28	W Beam Guardrail Object Attachment For Use Between Safety Shape and Guardrail (Wood Posts)	
	501.29	W Beam Guardrail-Fixed Object Attachment For Use Between Safety Shape - Steel Posts	
GR-FOA-2 & 4	501.30	W Beam Guardrail-Fixed Object Attachment Rubrail and Hardware Details	
GR-FOA-4	501.31	Blocked-Out W-Beam Median Barrier - Fixed Object Attachment For Use Between MB-7 & MB-3	
	501.32	Blocked-Out W-Beam Median Barrier - Fixed Object Attachment Rubrail and Hardware Details	
FOA-CZ	501.33	W-Beam Guardrail Installation Criteria Fixed Object Attachment Methods For Construction Zones	

**VDOT 2016 Road and Bridge Standards**  
**Section 500 - Guardrail, Fences, and Markers**

Standard	Page	Title	NOTES
GR-INS	501.34	W Beam Guardrail Installation Criteria	
	501.35	W Beam Guardrail Installation Criteria	
	501.36	W Beam Guardrail Installation Criteria	
	501.37	W Beam Guardrail Installation Criteria	
	501.38	W Beam Guardrail Installation Criteria	
	501.39	W Beam Guardrail Installation Criteria	
	501.40	W Beam Guardrail Installation Criteria	
	501.41	W Beam Guardrail and Median Barrier Installation Criteria	
MB-3	502.01	Blocked-Out W Beam Median Barrier	
MB-5	502.02	Standard W Beam Median Barrier (Weak Post System)	
	502.03	Standard W Beam Median Barrier (Weak Post System)	
MB-7D, 7E, 7F	502.04	Concrete Median Barrier	
MB-7D PC	502.05	Precast Traffic Barrier Concrete Service	
	502.06	Precast Traffic Barrier Concrete Service	
MB-8A	502.07	Concrete Median Barrier with F Shape Type I, II, or III	

**VDOT 2016 Road and Bridge Standards**  
**Section 500 - Guardrail, Fences, and Markers**

Standard	Page	Title	NOTES
MB-8A	<a href="#">502.08</a>	Concrete Median Barrier with F Shape Type I, II, or III	
MB-9A	<a href="#">502.09</a>	Cast in Place Concrete Median Barrier 12 Foot Terminal Section	
MB-9A PC	<a href="#">502.10</a>	Precast Concrete Median Barrer 12 Foot Terminal Section	
MB-10A	<a href="#">502.11</a>	Traffic Barrier Service for Concrete Parapet (Single Face) (For Temporary Installation on Bridge Deck Exterior)	
	<a href="#">502.12</a>	Traffic Barrier Service for Concrete Parapet (Single Face) (For Temporary Installation on Bridge Deck Exterior)	
MB-11A	<a href="#">502.13</a>	Traffic Barrier Service for Concrete Parapet (Double Face) (For Temporary Installation on Bridge Deck Exterior)	
	<a href="#">502.14</a>	Traffic Barrier Service for Concrete Parapet (Double Face) (For Temporary Installation on Bridge Deck Exterior)	
	<a href="#">502.15</a>	Traffic Barrier Service Concrete Parapet (Double Face) (For Temporary Installation on Roadways)	
MB-12A, B, C	<a href="#">502.16</a>	Concrete Median Barrier (Tall Wall)	
	<a href="#">502.17</a>	Concrete Median Barrier (Tall Wall)	
MB-13	<a href="#">502.18</a>	Concrete Median Barrier Type I, II, or III	
	<a href="#">502.19</a>	Concrete Median Barrier Type I, II, or III	
MB-INS	<a href="#">502.23</a>	Butting Traffic Barrier Service to Single Face Parapet Service	
	<a href="#">502.24</a>	Butting Traffic Barrier Service to Single Face Parapet Service	

**VDOT 2016 Road and Bridge Standards**  
**Section 500 - Guardrail, Fences, and Markers**

Standard	Page	Title	NOTES
	<a href="#">503.01</a>	Standard Fence General Notes	
FE-W1, W2	<a href="#">503.02</a>	Standard Fence Woven Wire Fabric	
FE-B	<a href="#">503.03</a>	Standard Fence Barbed Wire	
FE-CL	<a href="#">503.04</a>	Standard Fence Chain Link	
FE-G	<a href="#">503.05</a>	Standard Fence Gates	
FE-4	<a href="#">503.06</a>	Water Gates in Fence Lines	
FE-6	<a href="#">503.07</a>	Standard Method of Fence & Handrail Grounding	
RM-1	<a href="#">504.01</a>	Standard Plan and Method of Setting Right of Way Monuments	
RM-2	<a href="#">504.02</a>	Standard Plan and Method of Setting Right of Way Monuments	
IA-1	<a href="#">505.01</a>	Impact Attenuator Type 1 Re-Directive Permanent Installation (TL-3 ≥40 mph)	STANDARD REVISED DECEMBER 2018, FOR PREVIOUS VERSION OF STANDARD FOLLOW THIS <a href="#">LINK</a>
	<a href="#">505.02</a>	Impact Attenuator Type 1 Re-Directive Permanent Installation (TL-3 ≥40 mph)	STANDARD REVISED DECEMBER 2018, FOR PREVIOUS VERSION OF STANDARD FOLLOW THIS <a href="#">LINK</a>
	<a href="#">505.03</a>	Impact Attenuator Type 1 Re-Directive Permanent Installation (TL-3 ≥40 mph)	STANDARD REVISED DECEMBER 2018, FOR PREVIOUS VERSION OF STANDARD FOLLOW THIS <a href="#">LINK</a>
IA-2	<a href="#">505.04</a>	Impact Attenuator Type 1 Re-Directive Permanent Installation (TL-2 < 40 mph)	STANDARD REVISED DECEMBER 2018, FOR PREVIOUS VERSION OF STANDARD FOLLOW THIS <a href="#">LINK</a>
	<a href="#">505.05</a>	Impact Attenuator Type 1 Re-Directive Permanent Installation (TL-2 < 40 mph)	STANDARD REVISED DECEMBER 2018, FOR PREVIOUS VERSION OF STANDARD FOLLOW THIS <a href="#">LINK</a>
IA-LM	<a href="#">505.10</a>	Impact Attenuator Low Maintenance Type 1 Re-Directive (TL-3 ≥40 mph)	STANDARD REVISED DECEMBER 2018, FOR PREVIOUS VERSION OF STANDARD FOLLOW THIS <a href="#">LINK</a>
	<a href="#">505.11</a>	Impact Attenuator Low Maintenance Type 1 Re-Directive (TL-3 ≥40 mph)	STANDARD REVISED DECEMBER 2018, FOR PREVIOUS VERSION OF STANDARD FOLLOW THIS <a href="#">LINK</a>

**VDOT 2016 Road and Bridge Standards**  
**Section 500 - Guardrail, Fences, and Markers**

Standard	Page	Title	NOTES
MGS-HDW	506.01	MGS Standard Guardrail Hardware	
	506.02	MGS Standard Guardrail Hardware W-Beam Guardrail Hardware	
	506.03	MGS Standard Guardrail Hardware Thrie Beam Guardrail Hardware	
GR-MGS1, 1A	506.04	Midwest Guardrail System (Standard and Reduced Post Spacing)	
	506.05	Midwest Guardrail System (Standard and Reduced Post Spacing)	
GR-MGS2	506.06	Midwest Guardrail System (Tangent End Terminal)	STANDARD REVISED SEPTEMBER 2017, FOR PREVIOUS VERSION OF STANDARD FOLLOW THIS <a href="#">LINK</a>
	506.07	Midwest Guardrail System (Tangent End Terminal)	STANDARD REVISED SEPTEMBER 2017, FOR PREVIOUS VERSION OF STANDARD FOLLOW THIS <a href="#">LINK</a>
	506.08	Midwest Guardrail System (Tangent End Terminal)	STANDARD REVISED SEPTEMBER 2017, FOR PREVIOUS VERSION OF STANDARD FOLLOW THIS <a href="#">LINK</a>
GR-MGS3	506.09	Midwest Guardrail System (Trailing End Anchorage)	
	506.10	Midwest Guardrail System (Trailing End Anchorage)	
GR-MGS4	506.11	Midwest Guardrail System (Transition from MGS 31" Height To GR-2 27 3/4" Height)	STANDARD REVISED SEPTEMBER 2017, FOR PREVIOUS VERSION OF STANDARD FOLLOW THIS <a href="#">LINK</a>
GR-MGS-INS	507.01	MGS W-Beam Guardrail Installation Criteria	
	507.02	MGS W-Beam Guardrail Installation Criteria	
	507.03	MGS W-Beam Guardrail Installation Criteria	STANDARD REVISED SEPTEMBER 2017, FOR PREVIOUS VERSION OF STANDARD FOLLOW THIS <a href="#">LINK</a>
	507.04	MGS W-Beam Guardrail Installation Criteria	
	507.05	MGS W-Beam Guardrail Installation Criteria (Leave Out For Standard Guardrail Post Installation)	<b>NEW STANDARD APRIL 2019</b>
GR-FOA-5	508.01	Thrie-Beam - Fixed Object Attachment (For Use With Vertical Face Terminal Walls And MGS Guardrail)	<b>NEW STANDARD APRIL 2019</b>
	508.02	Thrie-Beam - Fixed Object Attachment (For Use With Vertical Face Terminal Walls And MGS Guardrail)	<b>NEW STANDARD APRIL 2019</b>

**VDOT 2016 Road and Bridge Standards**  
**Section 500 - Guardrail, Fences, and Markers**

Standard	Page	Title	NOTES
TCB-1	509.01	Temporary Concrete Barrier (MASH Freestanding Precast Pin And Loop For Temporary Use)	<b>NEW STANDARD APRIL 2020</b>
	509.02	Temporary Concrete Barrier (MASH Freestanding Precast Pin And Loop For Temporary Use)	<b>NEW STANDARD APRIL 2020</b>
	509.03	Temporary Concrete Barrier (MASH Freestanding Precast Pin And Loop For Temporary Use)	<b>NEW STANDARD APRIL 2020</b>